

## Material Safety Data Sheet

Date Printed: 04/FEB/2008  
Date Updated: 12/FEB/2006  
Version 1.2  
Regulation (EC) No 1907/2006

---

1 - Product and Company Information

---

Product Name BUTYL HEXANOATE, 98+%  
Product Number W220108  
  
Company Sigma-Aldrich Company Ltd.  
The Old Brickyard  
New Road, Gillingham SP8 4XT  
United Kingdom  
  
Technical Phone # 44-(0)-1747-833000  
Fax 44-(0)-1747-833313  
E-mail Address eurtechserv@sial.com  
Emergency Phone # 44-(0)-1747-833100

---

2 - Hazards Identification

---

3 - Composition/Information on Ingredients

---

Product Name	CAS #	EC no	Annex I Index Number
BUTYL HEXANOATE, 98+%	626-82-4	210-964-6	None
Formula	C10H20O2		
Molecular Weight	172.27 AMU		
Synonyms	Butyl caproate * Butyl hexanoate * n-Butyl hexanoate		

---

4 - First Aid Measures

---

## AFTER INHALATION

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

## AFTER SKIN CONTACT

In case of contact, immediately wash skin with soap and copious amounts of water.

## AFTER EYE CONTACT

In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

## AFTER INGESTION

If swallowed, wash out mouth with water provided person is conscious. Call a physician.

---

5 - Fire Fighting Measures

---

## EXTINGUISHING MEDIA

Suitable: For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large

quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

#### SPECIAL RISKS

Specific Hazard(s): Combustible liquid. Emits toxic fumes under fire conditions.

#### SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

---

### 6 - Accidental Release Measures

---

PERSONAL PRECAUTION PROCEDURES TO BE FOLLOWED IN CASE OF LEAK OR SPILL  
Evacuate area.

#### PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves.

#### METHODS FOR CLEANING UP

Cover with dry lime or soda ash, pick up, keep in a closed container, and hold for waste disposal. Ventilate area and wash spill site after material pickup is complete.

---

### 7 - Handling and Storage

---

#### HANDLING

Directions for Safe Handling: Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.

#### STORAGE

Conditions of Storage: Keep tightly closed. Keep away from heat and open flame. Store in a cool dry place.

---

### 8 - Exposure Controls / Personal Protection

---

#### ENGINEERING CONTROLS

Safety shower and eye bath. Mechanical exhaust required.

#### GENERAL HYGIENE MEASURES

Wash thoroughly after handling. Wash contaminated clothing before reuse.

#### PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection: Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection is desired, use multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges.

Hand Protection: Compatible chemical-resistant gloves.

Eye Protection: Chemical safety goggles.

---

### 9 - Physical and Chemical Properties

---

pH	N/A	
BP/BP Range	61.0 - 62.0 °C	3 mmHg
MP/MP Range	N/A	
Flash Point	81 °C	Method: closed cup
Flammability	N/A	

Autoignition Temp	N/A
Oxidizing Properties	N/A
Explosive Properties	N/A
Explosion Limits	N/A
Vapor Pressure	N/A
SG/Density	0.866 g/cm3
Partition Coefficient	N/A
Viscosity	N/A
Vapor Density	N/A
Saturated Vapor Conc.	N/A
Evaporation Rate	N/A
Bulk Density	N/A
Decomposition Temp.	N/A
Solvent Content	N/A
Water Content	N/A
Surface Tension	N/A
Conductivity	N/A
Miscellaneous Data	N/A
Solubility	N/A

---

## 10 - Stability and Reactivity

---

### STABILITY

Materials to Avoid: Strong oxidizing agents.

### HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide.

---

## 11 - Toxicological Information

---

RTECS NUMBER: MO6950000

### ACUTE TOXICITY

LD50  
Oral  
Rat  
> 5000 mg/kg

LD50  
Skin  
Rabbit  
> 5000 mg/kg

### IRRITATION DATA

Skin  
Rabbit  
500 mg  
24H  
Remarks: Mild irritation effect

### SIGNS AND SYMPTOMS OF EXPOSURE

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### ROUTE OF EXPOSURE

Skin Contact: May cause skin irritation.  
Eye Contact: May cause eye irritation.  
Multiple Routes: May be harmful by inhalation, ingestion, or skin absorption.

---

12 - Ecological Information

---

No data available.

---

13 - Disposal Considerations

---

SUBSTANCE DISPOSAL

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.

---

14 - Transport Information

---

RID/ADR

Non-hazardous for road transport.

IMDG

Non-hazardous for sea transport.

IATA

Non-hazardous for air transport.

---

15 - Regulatory Information

---

COUNTRY SPECIFIC INFORMATION

Germany

WGK: 2

Self-Classification

---

16 - Other Information

---

DISCLAIMER

Caution: for manufacturing, processing, or repacking.