

Jumping the Gap: Can Tetrataenite become a “Hard” Permanent Magnet?

C. D. Woodgate¹, J. B. Staunton¹, L. H. Lewis²


¹University of Warwick, Coventry, UK

²Northeastern University, Boston, USA




Motivation

- ▶ $L1_0$ FeNi (tetrataenite) is a under consideration as a candidate rare-earth-free permanent magnet, provided structure can be optimised.




Motivation

- ▶ $L1_0$ FeNi (tetrataenite) is a under consideration as a candidate rare-earth-free permanent magnet, provided structure can be optimised.
- ▶ Consists entirely of two abundant $3d$ transition metals.




Motivation

- ▶ $L1_0$ FeNi (tetrataenite) is a under consideration as a candidate rare-earth-free permanent magnet, provided structure can be optimised.
- ▶ Consists entirely of two abundant $3d$ transition metals.
- ▶ Dispute in the literature as to the value of its uniaxial anisotropy energy.




Magnetocrystalline Anisotropy Energy (MAE)

- ▶ Tetragonal sample with magnetisation
 $\mathbf{M} = |\mathbf{M}|(\cos \theta \cos \phi, \cos \theta \sin \phi, \sin \theta).$



Magnetocrystalline Anisotropy Energy (MAE)


- ▶ Tetragonal sample with magnetisation
 $\mathbf{M} = |\mathbf{M}|(\cos \theta \cos \phi, \cos \theta \sin \phi, \sin \theta)$.
- ▶ Magnetocrystalline anisotropy energy written



$$K(\theta, \phi) = K_1 \sin^2 \theta + K_2 \sin^4 \theta + K_3 \sin^4 \theta \cos 4\phi + \dots$$
$$\approx K_1 \sin^2 \theta$$

Magnetocrystalline Anisotropy Energy (MAE)

- ▶ Tetragonal sample with magnetisation
 $\mathbf{M} = |\mathbf{M}|(\cos \theta \cos \phi, \cos \theta \sin \phi, \sin \theta)$.
- ▶ Magnetocrystalline anisotropy energy written



$$K(\theta, \phi) = K_1 \sin^2 \theta + K_2 \sin^4 \theta + K_3 \sin^4 \theta \cos 4\phi + \dots$$
$$\approx K_1 \sin^2 \theta$$

- ▶ Conventional to measure/calculate *uniaxial* MAE:

$$K_U = K(\hat{\mathbf{z}}) - K(\hat{\mathbf{x}}) = K_1 + K_2 + K_3$$

History of L1₀ FeNi

- ▶ L1₀ phase first reported in 1960s by Néel and co-workers¹².

¹Néel *et al.*, J. Appl. Phys. **35** 873 (1964)

²Paulevé *et al.*, J. Appl. Phys. **55** 989 (1968)

³M. Werwiński, W. Marciniak, J. Phys. D: Appl. Phys. **50** 495008 (2017)

History of L1₀ FeNi

- ▶ L1₀ phase first reported in 1960s by Néel and co-workers¹².
- ▶ Also found to occur naturally in metallic meteorites, mineral name tetrataenite.

¹Néel *et al.*, J. Appl. Phys. **35** 873 (1964)

²Paulevé *et al.*, J. Appl. Phys. **55** 989 (1968)

³M. Werwiński, W. Marciniak, J. Phys. D: Appl. Phys. **50** 495008 (2017)

History of L1₀ FeNi

- ▶ L1₀ phase first reported in 1960s by Néel and co-workers¹².
- ▶ Also found to occur naturally in metallic meteorites, mineral name tetrataenite.
- ▶ Challenging to synthesise. Recent experimental efforts have focussed on manufacturing thin films or on targeted processing.

¹Néel *et al.*, J. Appl. Phys. **35** 873 (1964)

²Paulevé *et al.*, J. Appl. Phys. **55** 989 (1968)

³M. Werwiński, W. Marciniak, J. Phys. D: Appl. Phys. **50** 495008 (2017)

History of L1₀ FeNi


- ▶ L1₀ phase first reported in 1960s by Néel and co-workers¹².
- ▶ Also found to occur naturally in metallic meteorites, mineral name tetrataenite.
- ▶ Challenging to synthesise. Recent experimental efforts have focussed on manufacturing thin films or on targeted processing.
- ▶ Extensively studied using density functional theory calculations, *e.g.* Ref. 3. Primarily for perfectly ordered structures at $T = 0$ K, though.

¹Néel *et al.*, J. Appl. Phys. **35** 873 (1964)


²Paulevé *et al.*, J. Appl. Phys. **55** 989 (1968)

³M. Werwiński, W. Marciniak, J. Phys. D: Appl. Phys. **50** 495008 (2017)


Determinations of K_U



Determinations of K_U




Determinations of K_U



- ▶ Problem: DFT studies primarily study perfectly ordered structures at $T = 0$ K.

Determinations of K_U



- ▶ Problem: DFT studies primarily study perfectly ordered structures at $T = 0$ K.

Determinations of K_1 , K_2 , K_3

- ▶ Only two studies resolve K into its separate coefficients.

Determinations of K_1 , K_2 , K_3

- ▶ Only two studies resolve K into its separate coefficients.
- ▶ Both find large K_2 , K_3 .

Determinations of K_1 , K_2 , K_3

- ▶ Only two studies resolve K into its separate coefficients.
- ▶ Both find large K_2 , K_3 .
 - ▶ Néel *et al.*: $K_1 = 0.32$, $K_2 = 0.23$.
 - ▶ Paulevé *et al.*: $K_1 = 0.3$, $K_2 = 0.17$, $K_3 = 0.08$.

JOURNAL OF APPLIED PHYSICS VOLUME 35, NO. 3 (TWO PARTS—PART 2) MARCH 1964

Magnetic Properties of an Iron–Nickel Single Crystal Ordered by Neutron Bombardment

L. NÉEL, J. PAULEVE, R. PAUTHENET, J. LAUGIER, AND D. DAUTREPPE

Centre d'Etudes Nucléaires et Laboratoire d'Electrostatique et de Physique du Métal, Grenoble, France

JOURNAL OF APPLIED PHYSICS VOLUME 39, NUMBER 2 1 FEBRUARY 1968


Magnetization Curves of Fe–Ni (50–50) Single Crystals Ordered by Neutron Irradiation with an Applied Magnetic Field

J. PAULEVÉ, A. CHAMBEROD, K. KREBS, AND A. BOURRET

Centre d'Etudes Nucléaires de Grenoble, France

Potential Origins of Large K_2 and K_3 ?


- ▶ In our DFT calculations, we find *negligible* K_2 , K_3 .



¹Néel *et al.*, J. Appl. Phys. **35** 873 (1964)

Potential Origins of Large K_2 and K_3 ?


- ▶ In our DFT calculations, we find *negligible* K_2 , K_3 .
- ▶ Néel proposes bulk sample made up of individual $L1_0$ nanocrystals, layering directions not all aligned¹.



¹Néel *et al.*, J. Appl. Phys. **35** 873 (1964)

Potential Origins of Large K_2 and K_3 ?

- ▶ In our DFT calculations, we find *negligible* K_2 , K_3 .
- ▶ Néel proposes bulk sample made up of individual $L1_0$ nanocrystals, layering directions not all aligned¹.
- ▶ Exchange interaction between nanoscale domains yields large, macroscopic K_2 and K_3 .



¹Néel *et al.*, J. Appl. Phys. **35** 873 (1964)



Degree of Atomic Order

- ▶ Even if I have a single-variant nanocrystal, is it perfectly ordered?

⁴C. D. Woodgate, C. E. Patrick, L. H. Lewis, J. B. Staunton, **arXiv:2307.15470**


Degree of Atomic Order

- ▶ Even if I have a single-variant nanocrystal, is it perfectly ordered?
- ▶ Define atomic order parameter, S to quantify how well-ordered sample is⁴.



⁴C. D. Woodgate, C. E. Patrick, L. H. Lewis, J. B. Staunton, [arXiv:2307.15470](https://arxiv.org/abs/2307.15470)


Degree of Atomic Order



- ▶ Clear disagreement between theory and experiment once effects of imperfect atomic order are considered⁴.

⁴C. D. Woodgate, C. E. Patrick, L. H. Lewis, J. B. Staunton, [arXiv:2307.15470](https://arxiv.org/abs/2307.15470)

Effects of Finite Temperature



- ▶ Robust computationally predicted finite temperature performance⁴.

⁴C. D. Woodgate, C. E. Patrick, L. H. Lewis, J. B. Staunton, [arXiv:2307.15470](https://arxiv.org/abs/2307.15470)

Summary: Aspects to Consider

Aspect 1: Polycrystalline, Multivariant Samples

Experimentally FeNi has significant K_2 , K_3 ; these are *not* detected in DFT calculations. Nanoscale origins?

Summary: Aspects to Consider

Aspect 1: Polycrystalline, Multivariant Samples

Experimentally FeNi has significant K_2 , K_3 ; these are *not* detected in DFT calculations. Nanoscale origins?

Aspect 2: Imperfect Atomic Order

Decreasing atomic order decreases computationally predicted MAE, makes for large discrepancy between theory and experiment.

Summary: Aspects to Consider

Aspect 1: Polycrystalline, Multivariant Samples

Experimentally FeNi has significant K_2 , K_3 ; these are *not* detected in DFT calculations. Nanoscale origins?

Aspect 2: Imperfect Atomic Order

Decreasing atomic order decreases computationally predicted MAE, makes for large discrepancy between theory and experiment.

Aspect 3: Finite Temperature

Tetrataenite has good finite temperature performance, but increasing temperature decreases MAE compared to $T = 0$.

Acknowledgements People

University of Warwick, UK

- ▶ Christopher D. Woodgate
- ▶ Julie B. Staunton

Northeastern University, USA

- ▶ Laura H. Lewis

University of Oxford, UK

- ▶ Christopher E. Patrick



Funding

- ▶ C.D.W. supported by a studentship within EPSRC-funded CDT: warwick.ac.uk/hetsys
- ▶ EPSRC (UK)
- ▶ NSF (US)
- ▶ DOE (US)

