



Project Title	Investigating the environmental impact of the Athabasca oil sands
	industry using ultrahigh resolution mass spectrometry
University (where	University of Warwick
student will register)	
Which institution will	As above
the student be based	
at?	
Theme	Climate & Environmental Sustainability
(Max. 2 selections)	Organisms & Ecosystems
	Dynamic Earth
Key words	Fourier transform ion cyclotron resonance mass spectrometry, FTICR
	MS, petroleomics, environmental, complex mixtures, industry, oil sands
Please explain how the project fits within the NERC remit	The project addresses the environmental impact of industrial usage of natural resources with a view to production of energy in particular. The project most directly includes areas such as: "geosciences," "pollution, waste, and resources," "terrestrial and freshwater environments," and "tools, technology, and methods." The topic also had broader implications for "climate and climate change," "ecology, biodiversity, and systematics," "medical and health interface," "microbial sciences," and "plant and crop science."
Supervisory team (including institution & email address	PI: Dr. Mark P. Barrow (University of Warwick, E-Mail: <u>M.P.Barrow@warwick.ac.uk</u>) Co-I: Prof. Gary Bending (University of Warwick, E-Mail: <u>gary.bending@warwick.ac.uk</u>)
	Dr. John V. Headley (Environment and Climate Change Canada, E-Mail: john.headley@canada.ca) Dr. Jason Ahad
	(GSC-Quebec, E-Mail: jason.ahad@NRCan-RNCan.gc.ca)

Project Highlights:

- State-of-the-art mass spectrometry instrumentation (amongst world-leading)
- International environmental research
- Supervisory team consists of world leaders in oil sands, soil microbial profiling, and complex mixture analysis

Overview (including 1 high quality image or figure):





Natural Environment Research Council

The oil sands industry in Alberta, Canada, represents an alternative source of petroleum which has positioned Canada as the leading supplier of oil to the USA. The oil sands material consist of clay, sand, water, and bitumen, where the bitumen can be extracted using an alkaline hot water extractions process. Approximately three barrels of water are needed to produce one barrel of oil but this water, oil sands process affected water (OSPW), cannot be discharged back into the environment, due to federal regulations. As a result, the OSPW is stored in vast tailings ponds, currently estimated to hold approximately 1 trillion litres of water. The vast amounts of tailings pond waters contain substances that are known to be toxic to aquatic environments. For example, recent studies have implicated a wide range of classical naphthenic acids as principal toxicants, along with heavy metals and salts. The anthropogenic impact of future release of OSPW upon the aquatic environment is thus of increasing concern. There is a strong need for improved methodologies for characterization of the oil sands naphthenic acids for environmental monitoring, particularly with respect to understanding the chemistry of highly complex environmental samples. The comprehensive characterization of the organic fraction of OSPW with regards to fate and transport in aquatic environments is not yet established. Ultrahigh resolution mass spectrometry, particularly Fourier transform ion cyclotron resonance (FTICR) mass spectrometry (MS), has played a key role in the molecular characterization of environmental samples, leading to complex data sets which subsequently serve as "profiles" or "fingerprints" of the organic components in OSPW. The proposed work will, for the first time, utilize advances in proprietary software tools, developed at the University of Warwick, to improve and expand the molecular characterization of principal toxic components in OSPW, including providing greater insight into isomeric structures.



Figure 1: Athabasca oil sands processing facility, north of Fort McMurray (Alberta, Canada) and adjacent to Athabasca River.

Methodology:

This study will fingerprint oil sands processed waters collected from the Athabasca oil sands region, along with groundwater overlying undeveloped shale gas and tight oil reservoirs in Canada. A better understanding of the influence of environmental processes upon the molecular profiles is required, as it can be used to build a model of the environmental fate of oil sands components. In order to address this, the transport of oil sands components through soil and their subsequent microbial degradation will be experimentally investigated in the laboratory. The resulting samples will be characterized using ultrahigh resolution mass spectrometry; one of the smallest mass differences commonly observed in





the mass spectra of naphthenic acid mixtures is 3.4 mDa, resulting from the complex mixture rich in O_x and SO_x isobars. The project will also refine the interpretation and comparison of MS data to better characterize naphthenic acids in aquatic environments.

Training and skills:

Students will be awarded CENTA2 Training Credits (CTCs) for participation in CENTA2-provided and 'free choice' external training. One CTC equates to 1/2 day session and students must accrue 100 CTCs across the three years of their PhD.

The student will gain training and expertise in the field of environmental analysis, including sample collection and preparation. The student will have the option to work in-house in Saskatoon, Canada, with the research team of Dr Headley. This international exposure will provide hands-on training in oil sands environmental chemistry. At the University of Warwick, the student will gain expertise from one of the world's leading FTICR laboratories, learning FTICR mass spectrometry and including use of different ionization, fragmentation, and data analysis techniques.

Partners and collaboration (including CASE):

Further information on partners and collaboration (including CASE):

Dr. Barrow has more than 20 years of experience of working with FTICR mass spectrometry, petroleum-related and environmental samples, and data analysis of complex mixtures, collaborating with industry and with environmental organizations. Prof. Bending provides expertise on microbial profiling, metagenomics, and soil microcosm type systems. Dr. Headley has approximately 40 years of research experience (more than 27 years of working at Environment and Climate Change Canada) and is amongst the world's leading experts on the oil sands industry. Dr. Ahad has conducted his research in Canada and the UK, and has been working with GSC-Quebec for more than 14 years.

Possible timeline:

Year 1: Introduction to FTICR mass spectrometry, training on the 12 T solariX and 15 T solariX XR, introduction to data analysis methods, analysis of initial samples

Year 2: Intent to coordinate field sampling during two week period with collaborators (Dr. Jason Ahad) for shale gas and tight oil reservoirs in Canada.

Year 3: Focus of the work will be Athabasca oil sands region, along with groundwater overlying undeveloped shale gas and tight oil reservoirs.

Further reading:

Barrow, M.P., Peru, K.M. & Headley, J.V. (2014) "An Added Dimension: GC Atmospheric Pressure Chemical Ionization FTICR MS and the Athabasca Oil Sands." *Anal. Chem.*, 86(16), pp. 8281-8288.

Barrow, M.P., Witt, M., Headley, J.V. & Peru, K.M. (2010) "Athabasca Oil Sands Process Water: Characterization by Atmospheric Pressure Photoionization and Electrospray Ionization Fourier Transform Ion Cyclotron Resonance Mass Spectrometry" *Anal. Chem.*, 82(9), pp. 3727-3735.

Barrow, M.P., Peru, K.M., McMartin, D.W. & Headley, J.V. (2016) "Effects of Extraction pH on the Fourier Transform Ion Cyclotron Resonance Mass Spectrometry Profiles of Athabasca Oil Sands Process Water" *Energy & Fuels*, 30(5), pp. 3615-3621.

Headley, J.V., Barrow, M.P., Peru, K.M., Fahlman, B., Frank, R.A., Bickerton, G., McMaster, M.E., Parrott, J. & Hewitt, L.M. (2011) "Preliminary fingerprinting of Athabasca oil sands polar organics in





environmental samples using electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry." *Rapid Commun. Mass Spectrom.*, 25(13), pp. 1899-1909.

Headley, J.V., Peru, K.M. & Barrow, M.P. (2016) "Advances in mass spectrometric characterization of naphthenic acids fraction compounds in oil sands environmental samples and crude oil-a review." *Mass Spectrom. Rev.*, 35(2), pp. 311-328.

Lozano, D.C.P., Thomas, M.J., Jones, H.E. & Barrow, M.P. (2020) "Petroleomics: Tools, Challenges, and Developments" *Annual Review of Analytical Chemistry*, 13, pp. 405-430.

Peru, K.M., Thomas, M.J., Palacio Lozano, D.C., McMartin, D.W., Headley, J.V. & Barrow, M.P. (2019) "Characterization of oil sands naphthenic acids by negative-ion electrospray ionization mass spectrometry: Influence of acidic versus basic transfer solvent" *Chemosphere*, 222, pp. 1017-1024.

Further details:

For further information, please contact us directly:

Dr. Mark P. Barrow:

Department of Chemistry, University of Warwick

E-Mail: M.P.Barrow@warwick.ac.uk

http://warwick.ac.uk/barrowgroup

Prof. Gary Bending

Department of Life Sciences, University of Warwick

E-Mail: gary.bending@warwick.ac.uk

Dr. John V. Headley:

Environment and Climate Change Canada / Government of Canada

E-Mail: john.headley@canada.ca

Dr. Jason Ahad: Geological Survey of Canada, GSC-Quebec, Natural Resources Canada E-Mail: jason.ahad@nrcan-rncan.gc.ca