

Publications on cabbage root fly (*Delia radicum*)

BIOLOGY AND BEHAVIOUR

COAKER, T.H. & FINCH, S. (1965). The control of cabbage root fly in edible brassicae. *Plant Pathology* **14** Supplement, 4-6.

COAKER, T.H. & FINCH, S. (1971). The cabbage root fly, *Erioischia brassicae* (Bouché). *Report of the National Vegetable Research Station for 1970*, pp. 23-42.

COAKER, T.H. & FINCH, S. (1972). The association of the cabbage root fly with its food and host plants. In: *Insect/plant relationships* (Ed. Van Emden, H.F.) Oxford: Blackwell Scientific Publications. pp. 119-128.

COLE, R.A., JONES, T.H. & FINCH, S. (1989). Deterrent effect of carboxylic acids on cabbage root fly oviposition. *Annals of Applied Biology*, **115**, 39-44.

COLLIER, R.H. & FINCH, S. (1983). Completion of diapause in field populations of the cabbage root fly (*Delia radicum*). *Entomologia experimentalis et applicata* **34**, 186-192.

COLLIER, R.H. & FINCH, S. (1983). Effects of intensity and duration of low temperatures in regulating diapause development of the cabbage root fly (*Delia radicum*). *Entomologia experimentalis et applicata* **34**, 193-200.

COLLIER, R.H. & FINCH, S. (1988). Factors regulating diapause and aestivation in the cabbage root fly, *Delia radicum*. In: *Progress on Pest Management in Field Vegetables*. Eds. R. Cavalloro and C. Pelerents. P.P. Rotondo - D.G. XIII - Luxembourg No. EUR 10514. Balkema Rotterdam, pp. 27-31.

COLLIER, R.H. & FINCH, S. (1988). Preliminary studies of the factors regulating late emergence in certain cabbage root fly, *Delia radicum*, populations. In: *Progress on Pest Management in Field Vegetables*. Eds. R. Cavalloro and C. Pelerents. P.P. Rotondo - D.G. XIII - Luxembourg No. EUR 10514. Balkema Rotterdam, pp. 37-43.

COLLIER, R.H. & FINCH, S. (1988). Thermal requirements for cabbage root fly, *Delia radicum*, development. In: *Progress on Pest Management in Field Vegetables*. Eds. R. Cavalloro and C. Pelerents. P.P. Rotondo - D.G. XIII - Luxembourg No. EUR 10514. Balkema Rotterdam, pp. 21-25.

COLLIER, R.H., FINCH, S. & ANDERSON, M. (1989). Laboratory studies on late-emergence in the cabbage root fly (*Delia radicum*). *Entomologia experimentalis et applicata*, **50**, 233-240.

COLLIER, R.H., FINCH, S. & ANDERSON, M. (1990). Oxygen uptake by pupae of early- and late-emerging biotypes of the cabbage root fly *Delia radicum*. *Functional Ecology* **3**, 613-616

COLLIER, R.H., FINCH, S., PHELPS, K. & THOMPSON, A.R. (1991). Possible impact of global warming on cabbage root fly (*Delia radicum*) activity in the UK. *Annals of Applied Biology*, **118**, 261-271.

COLLIER, R.H., HOMMES, M., FINCH, S., BIRCH, A.N.E., BRUNEL, E., FREULER, J., HAVUKKALA, I. & OUDEN H. DEN. (1988). Induction of diapause in populations of cabbage root fly pupae: relationships between site latitude and critical daylength. In: *Integrated Control in Field Vegetable Crops*. IOBC/WPRS Bulletin 1988/X1/1, pp 89-94.

- FINCH, S. & ACKLEY, C. M. (1977). Cultivated and wild host plants supporting populations of the cabbage root fly. *Annals of Applied Biology* **85**, 13-22.
- FINCH, S. & COAKER, T.H. (1969). A method for the continuous rearing of the cabbage root fly *Erioischia brassicae* (Bouché) and some observations on its biology. *Bulletin of Entomological Research* **58**, 619-627.
- FINCH, S. & COAKER, T.H. (1969). Comparison of the nutritive values of carbohydrates and related compounds to *Erioischia brassicae*. *Entomologia experimentalis et applicata* **12**, 441-453.
- FINCH, S. & COLLIER, R.H. (1983). Emergence of flies from overwintering populations of cabbage root fly pupae. *Ecological Entomology* **8**, 29-36.
- FINCH, S. & COLLIER, R.H. (1985). Laboratory studies on aestivation in the cabbage root fly (*Delia radicum*). *Entomologia experimentalis et applicata* **38**, 137-143.
- FINCH, S. & JONES, T.H. (1987). Factors influencing the severity of cabbage root fly infestations in crops of oilseed rape. In: *Integrated Control in Oilseed Rape. IOBC-WPRS Bulletin 1987/X/4*, pp. 85-92.
- FINCH, S. & JONES, T.H. (1990). An analysis of the deterrent effect of aphids on cabbage root fly (*Delia radicum*) egg-laying. *Ecological Entomology* **14**, 387-391.
- FINCH, S. & SKINNER, G. (1973). Chemosterilization of the cabbage root fly under field conditions. *Annals of Applied Biology* **73**, 243-258.
- FINCH, S. & SKINNER, G. (1973). Distribution of cabbage root flies in brassica crops. *Annals of Applied Biology* **75**, 1-14.
- FINCH, S. & SKINNER, G. (1975). An improved method of marking cabbage root flies. *Annals of Applied Biology* **79**, 243-246.
- FINCH, S. & SKINNER, G. (1975). Dispersal of the cabbage root fly. *Annals of Applied Biology* **81**, 1-19.
- FINCH, S. & SKINNER, G. (1976). The effect of plant density on populations of the cabbage root fly (*Erioischia brassicae* (Bouche)) and the cabbage stem weevil (*Ceuthorrhynchus quadridens*) (Panz.) on cauliflowers. *Bulletin of Entomological Research* **66**, 113-123.
- FINCH, S. & SKINNER, G. (1980). Mortality of overwintering pupae of the cabbage root fly (*Delia brassicae*). *Journal of Applied Ecology* **17**, 657-665.
- FINCH, S. & SKINNER, G. (1982). Upwind flight by the cabbage root fly, *Delia radicum*. *Physiological Entomology* **7**, 387-399.
- FINCH, S. & SKINNER, G. (1988). Mortality of the immature stages of the cabbage root fly. In: *Progress on Pest Management in Field Vegetables* (eds R. Cavalloro and C. Pelerents). P.P. Rotondo - D.G. XIII - Luxembourg No. EUR 10514. Balkema Rotterdam, pp. 39-45.
- FINCH, S. & THOMPSON, A.R. (1992). Pests of cruciferous crops. In: *Vegetable Crop Pests*, (McKinlay, R.G. (ed)), MacMillan Press, Basingstoke, pp. 87-138.

- FINCH, S. (1968). Studies on the feeding behaviour of the cabbage root fly *Erioischia brassicae* (Bouché) (Diptera, Anthomyiidae). *M.Sc. Thesis*, University of Birmingham. 166 pp.
- FINCH, S. (1969). Studies on the feeding behaviour of the cabbage root fly *Erioischia brassicae* (Bouché) (Diptera, Anthomyiidae). *Ph.D. Thesis*, University of Birmingham. 299 pp.
- FINCH, S. (1971). A new approach to cabbage root fly control. *Advancement of Science, London* **27**, 375-376.
- FINCH, S. (1971). Comparison of the nutritive values of proteins and related compounds to adult cabbage root fly, *Erioischia brassicae*. *Entomologia experimentalis et applicata* **14**, 115-124.
- FINCH, S. (1971). The fecundity of the cabbage root fly *Erioischia brassicae* (Bouché) under field conditions. *Entomologia experimentalis et applicata* **14**, 147-160.
- FINCH, S. (1974). Feeding and associated behaviour of the adult cabbage root fly *Erioischia brassicae* (Bch.) (Dipt., Anthomyiidae) under laboratory conditions. *Bulletin of Entomological Research* **63**, 661-671.
- FINCH, S. (1974). Sugars available from flowers visited by the adult cabbage root fly, *Erioischia brassicae* (Bch.) (Diptera, Anthomyiidae). *Bulletin of Entomological Research* **64**, 257-263.
- FINCH, S. (1980). Pest assessment - as it relates to *Hylemya brassicae* populations. In: *Integrated Control in Brassica Crops. IOBC-WPRS Bulletin 1980/III/1*, pp. 1-9.
- FINCH, S. (1982). Ecological aspects of insect-plant relationships. (Ed. Feeny P.P.) *Proceedings 5th International Symposium Insect-Plant Relationships*, Wageningen 1982. Pudoc, Wageningen. pp. 275-283.
- FINCH, S. (1987). Horticultural Crops. In: *Integrated Pest Management* (Eds. Burn, T.H. Coaker & P.C. Jepson) London: Academic Press, pp. 257-293.
- FINCH, S. (1988). Comparison of traps for monitoring populations of the cabbage root fly. In: *Integrated Control in Field Vegetable Crops. IOBC/WPRS Bulletin 1988/X1/1*, pp. 68-76.
- FINCH, S. (1988). Entomology of crucifers and agriculture. Diversification of the agroecosystem in relation to pest damage to cruciferous crops. In: *The Entomology of Indigenous and Naturalized Systems in Agriculture*. (Eds M.K. Harris & C.E. Rogers). Westview Press: Boulder Colorado, pp. 39-71.
- FINCH, S. (1989). Ecological considerations in the management of *Delia* pest species in vegetable crops. *Annual Review of Entomology* **34**, 117-137.
- FINCH, S. (1989). Ecology of dipterous pests of vegetables. *D.Sc. Thesis*, University of Birmingham. 9 pp plus 55 bound papers.
- FINCH, S. (1989). Problems in monitoring populations of cabbage root fly, *Delia radicum*, with traps baited with host-plant chemicals. In: *Use of Pheromones and Other Semiochemicals in Integrated Control. IOBC/WPRS Bulletin 1989/XII/2*. pp. 41-42.

FINCH, S. (1990). Are attractant chemicals isolated from host-plants of practical value in pest control systems? A hypothesis based on experiments with the cabbage root fly. *7th International Symposium Insect-Plant Relationships, Budapest (Hungary) 1989 Symp. Biol. Hung.* **39**, 387-392.

FINCH, S. (1992). Collaborative projects for 1992 and 1993. In: *Integrated Control in Field Vegetable Crops. IOBC/WPRS Bulletin 1992/XV/4*, pp. 184-193.

FINCH, S., BROMAND, B., BRUNEL, E., BUES, M., COLLIER, R.H., DUNNE, R., FOSTER, G., FREULER, J., HOMMES, M., VAN KEYMEULEN, M., MOWAT, D.J., PELERENTS, C., SKINNER, G., STADLER, E. & THEUNISSEN, J. (1988). Emergence of cabbage root flies from puparia collected throughout northern Europe. In: *Progress on Pest Management in Field Vegetables*. Eds. R. Cavalloro and C. Pelerents. P.P. Rotondo - D.G. XIII - Luxembourg No. EUR 10514. Balkema Rotterdam, pp. 33-36.

FINCH, S., COLLIER, R.H. & SKINNER, G. (1986). Local population differences in emergence of cabbage root flies from south-west Lancashire: implications for pest forecasting and population divergence. *Ecological Entomology* **11**, 139-145.

FINCH, S., SKINNER, G. & FREEMAN, G.H. (1975). The distribution and analysis of cabbage root fly egg populations. *Annals of Applied Biology* **79**, 1-18.

FINCH, S., SKINNER, G. & FREEMAN, G.H. (1976). The effect of plant density on populations of the cabbage root fly on four cruciferous crops. *Annals of Applied Biology* **83**, 191-197.

FINCH, S., SKINNER, G. & FREEMAN, G.H. (1978). Distribution and analysis of cabbage root fly pupal populations. *Annals of Applied Biology* **88**, 351-356.

JOHANSEN TJ & A HALS 1990. The biology of *Delia radicum* L. and *D. floralis* Fallèn (Diptera: Anthomyiidae) in northern Norway. *Norsk Landbruksforskning* 4: 337-350 (In Norwegian with English summary).

JOHANSEN TJ & R MEADOW 2006. Population differences in emergence of brassica root flies (Diptera: Anthomyiidae). *Environ. Entomol.* 35 (5): 1161-1165.

JOHANSEN TJ & MEADOW R 2014. Diapause development in early and late emerging phenotypes of *Delia floralis*. *Insect Science* 21: 103–113. DOI 10.1111/1744-7917.12013.

JONES, T.H. & FINCH, S. (1987). The effect of a chemical deterrent, released from the frass of caterpillars of the garden pebble moth, on cabbage root fly oviposition. *Entomologia experimentalis et applicata*, **45**, 283-288.

JONES, T.H., COLE, R. & FINCH, S. (1988). A cabbage root fly oviposition deterrent in the frass of garden pebble moth caterpillars. *Entomologia experimentalis et applicata*, **49**, 277-282.

JOSSO C., LE RALEC A., RAYMOND L., SAULAIS J., BAUDRY J., POINSOT D. & CORTESERO A.M. MEYLING NV, NAVNTOFT S, PHILIPSEN H, THORUP-KRISTENSEN K & EILENBERG J. Natural regulation of *Delia radicum* in organic cabbage production. *Agriculture, Ecosystem and Environment* (164), 183-189 (2013). doi:10.1016/j.agee.2012.09.019 doi:10.1016/j.jip.2014.11.003

SCHMON R., VOGLER U. Temporal patterns of the abundance of the cabbage root fly (*Delia radicum*, Diptera: Anthomyiidae). *Julius-Kühn-Archiv* (438), 429 (2014)

SKINNER, G. & FINCH, S. (1988). Oilseed rape crops as a source of cabbage root fly infestation for cruciferous vegetable crops. In: *Progress on Pest Management in Field Vegetables* (eds. R. Cavalloro and C. Pelierents). P.P. Rotondo - D.G. XIII - Luxembourg No. EUR 10514. Balkema Rotterdam, pp. 61-66.

VOGLER U., SCHMON R., JÄNSCH M., HELLER W. The cabbage root fly *Delia radicum* (Diptera: Anthomyiidae) and downey mildew *Peronospora parasitica* (Oomycete: Peronosporales) in the vegetable brassica-oilseed rape agroecosystem IOBC/wprs Bulletin (107), 197-209 (2014).

WHEATLEY, G. & FINCH, S. (1984). Effects of oilseed rape on the status of insect pests of vegetable brassicas. *Proceedings 1984 British Crop Protection Conference - Pests and Diseases*, **2**, 807-814.

HOST PLANT FINDING

BOURHIS, Y., POGGI, S., MAMMERI, Y., CORTESERO, A. M., LE RALEC, A., & PARISEY, N. Perception-based foraging for competing resources: Assessing pest population dynamics at the landscape scale from heterogeneous resource distribution. *Ecological Modelling* (312), 211-221 (2015)

FERRY A., LE TRON S., DUGRAVOT S. & A.M. CORTESERO. Field evaluation of the combined deterrent and attractive effects of dimethyl disulfide on *Delia radicum* and its natural enemies. *Biological Control* (49), 219-226 (2009)

FINCH S. & COLLIER, R.H. (2000). Host-plant selection by insects – a theory based on “appropriate/inappropriate landings” by pest insects of cruciferous plants. *Entomologia experimentalis et applicata* **96**, 91-102.

FINCH S. & COLLIER, R.H. (2001). Host-plant selection by insects. In: *Encyclopedia of Pest Management*, (Pimentel, D. (ed)), Marcel Dekker Inc., New York. Volume 5 (in press)

FINCH, S. & EDMONDS, G.H. (1994). Undersowing cabbage crops with clover - the effects on pest insects, ground beetles and crop yield. *IOBC/WPRS Bulletin*, **17 (8)**: 159-167.

FINCH, S. & JONES, T.H. (1987). Interspecific competition during host plant selection by insect pests of cruciferous crops. In: *Insect-Plants*, (eds V. Labeyrie, G. Fabres & D. Lachaise), Dordrecht: W. Junk, pp. 85-90.

FINCH, S. & JONES, T.H. (1988). Naturally-occurring deterrents to cabbage root fly egg-laying. *Proceedings 1988 Brighton Crop Protection Conference - Pests and Diseases*, **1**, 263-268.

FINCH, S. & KIENEGGER, M. (1997). A behavioural study to help clarify how undersowing with clover affects host-plant selection by pest insects of brassica crops. *Entomologia experimentalis et applicata* **84**, 165-172.

FINCH, S. & KIENEGGER, M. (1999). Host-plant finding by insects – “appropriate/inappropriate landings” a mechanism based on the behaviour of pest insects of cruciferous crops. *IOBC/WPRS Bulletin* **22 (5)**, 157-162.

FINCH, S. & KIENEGGER, M. (2000). The effect of undersowing with clover on host-plant selection by pest Lepidoptera of brassica crops. *Vegetable Crops research Bulletin* **52**, 5-12.

- FINCH, S. (1977). Effect of secondary plant substances on host-plant selection by the cabbage root fly. In: '*Comportement des Insectes et Milieu Trophique*'. Colloques Internationaux du Centre de la Recherche Scientifique, Tours. pp. 251-267.
- FINCH, S. (1978). Volatile plant chemicals and their effect on host plant finding by the cabbage root fly (*Delia brassicae*). *Entomologia experimentalis et applicata* **24**, 350-359.
- FINCH, S. (1980). Chemical attraction of plant-feeding insects to plants. *Applied Biology*, **5**, (Ed. Coaker, T.H.) London: Academic Press, pp. 67-143.
- FINCH, S. (1986). Assessing host-plant finding by insects. In: *Insect-Plant Interactions*. (Eds Miller, J.R. & Miller, T.). New York: Springer-Verlag, pp 23-63.
- FINCH, S. (1996). 'Appropriate/inappropriate landings', a mechanism for describing how undersowing with clover affects host-plant selection by pest insects of brassica crops. *IOBC/WPRS Bulletin* **19(11)**, 102-106.
- FINCH, S., COLE, R. & SKINNER, G. (1980). Attraction of *Hylemya brassicae* to the odours given off by its host plants. In: *Integrated Control in Brassica Crops*. *IOBC-WPRS Bulletin* 1980/III/I, pp. 99-104.
- HARTFIELD, C. M., NETHERCLEFT, M. & FINCH, S. (1999). The effect of undersowing brassica crops with clover on host finding by *Trybliographa rapae* and *Aleochara bilineata*, two parasitoids of the cabbage root fly, *Delia radicum*. In: *Integrated Control in Field Vegetable Crops*. *IOBC/WPRS Bulletin* **22 (5)**, 117-124.
- HERVÉ M, DELOURME R, GRAVOT A, MARNET N, BERARDOCCO S & CORTESERO AM. Manipulating feeding stimulation to protect crops against insect pests? *Journal of Chemical Ecology* (40), 1220-1231 (2014)
- KERGUNTEUIL A., DUGRAVOT S., MORTREUIL A., LE RALEC A. & A.M. CORTESERO. Selecting volatiles to protect brassicaceous crops against the cabbage root fly, *Delia radicum*. *Entomologia Experimentalis et Applicata* (144), 69-77 (2012)
- KERGUNTEUIL, A., CORTESERO, A. M., CHAMINADE, V., DOURLLOT, S., PATY, C., LE RALEC, A. & DUGRAVOT, S. Field and laboratory selection of brassicaceous plants that differentially affect infestation levels by *Delia radicum*. *Journal of Applied Entomology*. (139), 487-495 (2015) doi: 10.1111/jen.12187
- KERGUNTEUIL, A., DUGRAVOT, S., DANNER, H., VAN DAM, N. M., & CORTESERO, A. M. Characterizing volatiles and attractiveness of five Brassicaceous plants with potential for a 'Push-Pull' strategy toward the cabbage root fly, *Delia radicum*. *Journal of Chemical Ecology* (41), 330-339 (2015)
- KIENEGGER, M. & FINCH, S. (1996). The effect of undersowing with clover on host-plant selection by pest insects of brassica crops. In: *Integrated Control in Field Vegetable Crops*. *IOBC/WPRS Bulletin* **19(11)**, 108-114.
- KOSTAL, V. & FINCH, S. (1994). Influence of background on host plant selection and subsequent oviposition by the cabbage root fly (*Delia radicum*). *Entomologia Experimentalis et Applicata*, **70**, 153-163.

KOSTAL, V. & FINCH, S. (1994). Influence of background on host plant finding and acceptance by the cabbage root fly. *IOBC/WPRS Bulletin*, **17 (8)**: 183-186.

KOSTAL, V. & FINCH, S. (1994). Influence of background on host-plant selection and subsequent oviposition by the cabbage root fly. *Entomologia experimentalis et applicata* **74**, 153-164.

PIERRE P., DUGRAVOT S., CORTESERO A.M., POINSOT D, RAAIJMAKERS C. E., HASSAN H.M. & N.M. VAN DAM. Broccoli and turnip plants display contrasting responses to belowground induction by *Delia radicum* infestation and phytohormone applications. *Phytochemistry* (73), 42-50 (2012)

PIERRE S.P., DUGRAVOT S., HERVÉ M.R., HASAN H., VAN DAM N.M. & CORTESERO A.M. Below ground induction by *Delia radicum* or phytohormones affect aboveground herbivore communities on field-grown broccoli. *Frontiers in Plant Science* (4), 10-3389 (2013) doi: 10.3389/fpls.2013.00305

PROKOPY, R.J., COLLIER, R.H. & FINCH, S. (1983). Leaf colour used by cabbage root flies to distinguish among host plants. *Science* **221**, 190-192.

PROKOPY, R.J., COLLIER, R.H. & FINCH, S. (1983). Visual detection of host plants by cabbage root flies. *Entomologia experimentalis et applicata* **34**, 85-89.

VAN GEEM, M., HARVEY, J. A., CORTESERO, A. M., RAAIJMAKERS, C. E., & GOLS, R. Interactions Between a Belowground Herbivore and Primary and Secondary Root Metabolites in Wild Cabbage. *Journal of chemical ecology* (41), 696-707 (2015)

BIOTIC FACTORS

COTES B, RÄNNBÄCK L-M, BJÖRKMAN M, NORLI HR, MEYLING NV, RÄMERT B & ANDERSON P. Habitat selection of a parasitoid mediated by volatile cues informing on host and intraguild predator densities. *Oecologia* (179), 151-162 (2015) doi:10.1007/s00442-015-3326-2

FINCH, S. & ELLIOTT, M. (1994). Predation of cabbage root fly eggs and larvae by carabid ground beetles - fact or fantasy? *IOBC/WPRS Bulletin*, **17 (8)**: 109-114.

FINCH, S. & ELLIOTT, M.S. (1992). Carabidae as potential biological agents for controlling infestations of the cabbage root fly. *Proceedings of the Anglo-Israeli Conference*, March 1992, Wellesbourne, UK - *Phytoparasitica* **20**, (Supplement), 67-70.

FINCH, S. & ELLIOTT, M.S. (1992). Predation of cabbage root fly eggs by carabidae. In: *Integrated Control in Field Vegetable Crops*. *IOBC/WPRS Bulletin* 1992/**XV/4**, pp. 176-183.

FINCH, S. (1995). The potential for controlling the cabbage root fly *Delia radicum* by releasing laboratory-reared parasitoids. *BCPC Symposium Proceedings* No **63**: 41-48.

FINCH, S. (1996) A review of the progress made to control the cabbage root fly (*Delia radicum*) using parasitoids. In: *Arthropod Natural Enemies in Arable Land. II: Survival, reproduction and enhancement*. (Eds. C. J. H. Booij & L. J. M. F. den Nijs). *Acta Jutlandica* **71(2)**, 227-239.

FINCH, S. (1996). Effect of beetle size on predation of cabbage root fly eggs by ground beetles. *Entomologia experimentalis et applicata* **80**, 1-7.

FINCH, S. (1996). Problems associated with controlling the cabbage root fly by inundative releases of the rove beetle, *Aleochara bilineata*. In: Integrated Control in Field Vegetable Crops. *IOBC/WPRS Bulletin* **19(11)**, 152-155.

FINCH, S. & COLLIER, R.H. (1984). Parasitism of overwintering pupae of cabbage root fly, *Delia radicum* (L.) (Diptera: Anthomyiidae), in England and Wales. *Bulletin of Entomological Research* **74**, 79-86.

FINCH, S., & ELLIOTT, M. S. (1999). Predation of cabbage root fly eggs by carabid ground beetles – fact or fantasy? *Antenna* **23**, 228-232.

FINCH, S., ELLIOTT, M. S. & TORRANCE, M. T. (1999). Is the parasitoid staphylinid beetle *Aleochara bilineata* an effective predator of the egg stage of its natural host, the cabbage root fly? In: Integrated Control in Field Vegetable Crops. *IOBC/WPRS Bulletin* **22 (5)**, 109-124.

JONASSON, T., M. AHLSTRÖM-OLSSON & T.J. JOHANSEN. *Aleochara suffusa* and *A. bilineata* (Col.: Staphylinidae) as parasitoids of Brassica root flies in northern Norway. *Entomophaga* (40), 163-167 (1995).

KLINGEN, I., MEADOW, R. & EILENBERG, J. Prevalence of fungal infections in adult *Delia radicum* and *Delia floralis* captured on the edge of a cabbage field. *Entomologia experimentalis et Applicata* (97), 265-274 (2000).

RÄNNBÄCK L-M, COTES B, ANDERSON P, RÄMERT B & MEYLING NV. Mortality risk from entomopathogenic fungi affects oviposition behavior in the parasitoid wasp *Trybliographa rapae*. *Journal of Invertebrate Pathology* (124), 78-86 (2015)

MONITORING

BLIGAARD, J., R. MEADOW, O. NIELSEN & A. PERCY-SMITH. Evaluation of felt traps to estimate egg numbers of cabbage root fly, *Delia radicum*, and turnip root fly, *Delia floralis* in commercial crops. *Entomologia experimentalis et Applicata* (90), 141-148 (1999).

FINCH, S. & COLLIER, R.H. (1989). Effects of the angle of inclination of traps on the numbers of pest and beneficial Diptera caught on sticky boards. *Entomologia Experimentalis et Applicata* **52**, 23-27.

FINCH, S. & SKINNER, G. (1974). Some factors affecting the efficiency of water-traps for capturing cabbage root flies. *Annals of Applied Biology* **77**, 213-226.

FINCH, S. & SKINNER, G. (1982). Trapping cabbage root flies in traps baited with plant extracts and with natural and synthetic isothiocyanates. *Entomologia experimentalis et applicata* **31**, 133-139.

FINCH, S. & SKINNER, G. (1982). Trapping female cabbage root flies (*Delia radicum* (L.)) (Diptera: Anthomyiidae) with allylisothiocyanate-baited traps. *Bulletin of Entomological Research* **72**, 165-173.

FINCH, S. (1977). Monitoring insect pests of cruciferous crops. *Proceedings 9th British Insecticide and Fungicide Conference*, **1**, 219-226.

FINCH, S. (1990). The effectiveness of traps used currently for monitoring populations of the cabbage root fly. *Annals of Applied Biology*, **116**, 447-454

FINCH, S. (1991). Improving the selectivity of water traps for monitoring populations of the cabbage root fly. *Annals of Applied Biology*, **120**, 1-7.

FINCH, S. (1991). Influence of trap surface on the numbers of insects caught in water traps in brassica crops. *Entomologia experimentalis et applicata* **59**, 169-173.

FINCH, S. (1994). Effect of trap background on the numbers of cabbage root fly caught in water traps. *Entomologia Experimentalis et Applicata*, **74**: 201-208.

FINCH, S. (1995). Effect of trap background on cabbage root fly landing and capture. *Entomologia experimentalis et applicata* **74**:201-208.

FINCH, S., FREULER, J. & STADLER, E. (1980). Trapping *Hylemya brassicae* adults. In: *Integrated Control in Brassica Crops. IOBC/WPRS Bulletin 1980/III/1*, pp. 11-17.

KOSTAL, V. & FINCH, S. (1996). Preference of the cabbage root fly, *Delia radicum* (L.) for coloured traps: Influence of sex and physiological status of the flies, trap background and experimental design. *Physiological Entomology* **21**, 123-130.

FORECASTING

COLLIER, R.H. & FINCH, S. (1985). Accumulated temperatures for predicting the time of emergence in the spring of the cabbage root fly, *Delia radicum* (L.), (Diptera: Anthomyiidae). *Bulletin of Entomological Research* **75**, 395-404.

COLLIER, R.H., FINCH, S. & PHELPS, K. (1991). The simulation model for forecasting the timing of cabbage root fly attacks on cruciferous crops. *EPPO Bulletin*, **21**, 419-424.

COLLIER, R.H., FINCH, S., PHELPS, K. (1995). Forecasting attacks by insect pests of horticultural field crops. *BCPC Symposium Proceedings No 63*, 115-122.

COLLIER, R.H., PHELPS, K. & FINCH, S. (1990). Using weather data to forecast attacks of insect pests on field vegetables. *Journal of Agricultural Science* **115**(2), 297-6

FINCH, S. & COLLIER, R.H. (1986). Forecasting the times of attack of the cabbage root fly (*Delia radicum*) on vegetable brassica crops. *Aspects of Applied Biology* **12**, 37-46.

FINCH, S. & COLLIER, R.H. (1988). Monitoring and forecasting attacks of cabbage root fly and carrot fly in vegetable crops. *Acta Horticulturae* **219**, 39-45.

FINCH, S., COLLIER, R.H. & PHELPS, K. (1996). A review of the work done to forecast pest insect attacks in UK horticultural crops. *Crop Protection* **15**, 353-357.

HOMMES, M. & GEBELEIN, D. Simulation models for the cabbage root fly and the carrot fly Integrated Control in Field Vegetable Crops IOBC WPRS Bulletin (19), 60-65 (1996).

PHELPS, K., COLLIER, R.H., READER, R.J. & FINCH, S. (1993). Monte Carlo simulation method for forecasting the timing of pest insect attacks. *Crop Protection* **12**, 335-342.

INTEGRATED PEST MANAGEMENT

EILENBERG, J. & MEADOW, R. Fungi for biological control of root flies (*Delia* spp.). In R. Upadhyay (ed.) *Advances in microbial control of insect pests*. Kluwer Academic/Plenum Publishers, New York (Book chapter), 181-191 (2003).

FINCH, S. & COLLIER, R.H. (2000). Integrated pest management in field vegetable crops in northern Europe - with focus on two key pests. *Crop Protection* 19, 817-824.

FINCH, S. & WHEATLEY, G.(1980). Physical barriers to protect cauliflowers from *Hylemya brassicae* damage. In: *Integrated Control in Brassica Crops. IOBC-WPRS Bulletin 1980/III/I*, pp. 127-130.

FINCH, S. (1991) Appraisal of possible pest management systems for controlling root-feeding dipterous pests of vegetable crops. *Proceedings of 2nd International Congress of Dipterology*, Bratislava, Czechoslovakia, 1990. (Eds. L. Weismann, I. Orszagh & C. Pont), The Hague, SBP Academic Publishing, pp 55-70.

FINCH, S. (1992). An introduction to integrated pest management in field vegetable crops. In: *Integrated Control in Field Vegetable Crops. IOBC/WPRS Bulletin 1992/XV/4*, pp. 49-52.

FINCH, S. (1992). Appraisal of pest management systems for controlling insect pests of vegetable crops. In: *Biological Control and Integrated Crop Protection: Towards Environmentally Safer Agriculture* (Proceedings of the IOBC/WPRS Conference, Veldhoven, The Netherlands, eds J.C. van

FINCH, S. (1993). Integrated pest management in vegetable crops grown in the north temperate region. In: *Proceedings of the International Symposium on Integrated Pest Management, Izmir, Turkey 15-17 October 1992* (Eds C. Saydam & Zumreoglu), Izmir, Turkey: Ministry of Agriculture and Rural Affairs, 119-130

FINCH, S. (1993). Integrated pest management of the cabbage root fly and the carrot fly. *Crop protection*, 12 (6), 423-430.

FINCH, S. (1994). Integrated crop protection in field vegetables - current advances and future possibilities. *Mededelingen van de Faculteit Landbouwwetenschappn Universiteit Gent*, 59 (2a): 171-181.

FINCH, S. (1997). Emerging trends in the management of pest insects of field vegetable temperate regions of the world. In "Crop Productivity and Sustainability - Shaping the Future". *Proceedings of 2nd International Crop Science Congress*, November 17-24 1996, New Delhi, India. pp. 159-268.

FINCH, S. (1997). Integrated pest management in brassica crops. In: "International Symposium on Pests of Brassica Crops". *Biuletyn Warzywniczy XLVII*, pp. 33-47.

HERBST, M. & HOMMES, M. IPM in cabbage crops – first results of cabbage root fly control in the EU-project "PURE" Integrated Control in Field Vegetable Crops IOBC WPRS Bulletin (107), 119-124 (2014).

SIEKMANN, G. & HOMMES, M. Exclusion fences against cabbage root fly and carrot fly Integrated Protection of Field Vegetables IOBC/WPRS Bulletin (30), 107-112 (2007).

SKINNER, G. & FINCH, S. (1986). Reduction of cabbage root fly (*Delia radicum* (L.)) damage by protective discs. *Annals of Applied Biology* 108, 1-10.

Technical reports (UK). Most AHDB (formerly HDC) reports can be downloaded from the [AHDB web site](#).

JUKES, A. COLLIER, R.H. & ELLIOTT, M. (2016). FV 416b Brassicas treatments to control cabbage root fly. AHDB Final Report.

JUKES, A. COLLIER, R.H. & ELLIOTT, M. (2015). FV 416a - Brassicas: comparison of treatments to control cabbage root fly. AHDB Final Report.

JUKES, A. COLLIER, R.H. & ELLIOTT, M. (2014). CP 077 - SCEPTRE: Sustainable Crop & Environment Protection - Targeted Research for Edibles. AHDB Final Report.

JUKES, A. COLLIER, R.H. & ELLIOTT, M. (2013). FV 389 Combining biopesticides and other treatments to increase pest control. AHDB Final Report.

JUKES, A. COLLIER, R.H. & ELLIOTT, M. (2013). FV 416 Brassicas: module drenches to control cabbage root fly. AHDB Final Report.

JUKES, A. COLLIER, R.H. & ELLIOTT, M. (2011). FV 375 Novel strategies for pest control in field vegetable crops. AHDB Final Report.

JUKES, A. COLLIER, R.H. & ELLIOTT, M. (2010). FV 328b Brassicas: evaluation of novel insecticides for control of cabbage root fly and aphids. AHDB Final Report.

JUKES, A. COLLIER, R.H. & ELLIOTT, M. (2009). Brassicas: Evaluation of novel insecticides for control of cabbage root fly and aphids FV 328a AHDB Final Report.

JUKES, A. COLLIER, R.H. & ELLIOTT, M. (2008). Brassicas: Evaluation of novel insecticides for control of cabbage root fly and aphids. FV 328 AHDB Final Report..

JUKES, A. A., COLLIER, R.H. & ELLIOTT, M.S. (2006). Brassica crops: evaluation of non-organophosphorus insecticides for controlling the cabbage root fly. Final report 2005-6 HDC Project FV 242c, 27 pp.

JUKES, A. A., COLLIER, R.H. & ELLIOTT, M.S. (2005). Brassica crops: evaluation of non-organophosphorus insecticides for controlling the cabbage root fly. Final report 2004-5 HDC Project FV 242b, 23 pp.

JUKES, A. A., COLLIER, R.H. & ELLIOTT, M.S. (2004). Brassica crops: evaluation of non-organophosphorus insecticides for controlling the cabbage root fly. Final report 2002-2003 HDC Project FV 242a, 24 pp.

JUKES, A. A., COLLIER, R.H. & ELLIOTT, M.S. (2003). Brassica crops: Evaluation of non-organophosphorus insecticides for controlling the cabbage root fly. Final Report 2002-2003 HDC Project FV 242, 27pp.

JUKES, A. A., COLLIER, R.H., ELLIOTT, M.S. & FINCH, S. (2002). Brassica crops: Evaluation of non-organophosphorus insecticides for controlling the cabbage root fly. Final Report 2001-2002 HDC Project FV 222.

COLLIER, R.H. & MINNS, S.A. (2001). Brassicas: Effectiveness of new compounds on aphid control in transplanted crops and compatibility of seed treatments for aphid and cabbage root fly control. Final Report 1999-2000 HDC Project FV 208A.

COLLIER, R.H. (2001). Desk study to apply knowledge developed for conventional horticulture to the control of pests in organic vegetables. Final Report MAFF Project OF0179.