

## 1. EXPANDING BASE I

Recall that the number of ways  $n$  distinct objects can be put in order is  $n! = 1 \times 2 \times \dots \times n$ .

Let

$$a_k = \frac{1}{2!} + \frac{2}{3!} + \dots + \frac{k-1}{k!}.$$

What is  $a_k$  as a simple fraction?

### Extensions

- (1) Find  $N_k$ , the number of sequences  $x_2, \dots, x_k$  with  $x_2 = 0$  or  $1$ ,  $x_3 = 0$  or  $1$  or  $2, \dots, x_k = 0, 1, \dots$  or  $k-1$ .
- (2) Deduce that every fraction in the interval  $[0, 1)$  of the form  $x = \frac{m}{n!}$  can be written as (with  $n$  and  $m$  integers)

$$(1.1) \quad \frac{x_2}{2!} + \dots + \frac{x_n}{n!},$$

with  $x_2 = 0$  or  $1$ ,  $x_3 = 0$  or  $1$  or  $2, \dots, x_n = 0, 1, \dots$  or  $n-1$ .

- (3) Remember that a number  $x$  is called *rational* if it can be written as a (possibly improper) fraction  $\frac{m}{n}$  for some pair of integers  $m$  and  $n$ .

Show that every rational,  $x$ , in  $[0, 1)$  can be written

$$\frac{x_2}{2!} + \dots + \frac{x_n}{n!},$$

with  $x_2 = 0$  or  $1$ ,  $x_3 = 0$  or  $1$  or  $2, \dots, x_n = 0, 1, \dots$  or  $n-1$  for some value of  $n$ .