

Stateless societies

175



The iron in the mussel's grip

180



After the Maule quake

181



LETTERS | BOOKS | POLICY FORUM | EDUCATION FORUM | PERSPECTIVES

## LETTERS

edited by Jennifer Sills

### Food Security: Population Controls

THE SPECIAL SECTION ON FOOD SECURITY (12 FEBRUARY, P. 797) PRESENTS VARIOUS TECHNOLOGICAL fixes to address the problem of sustainably and equitably feeding the 9 billion humans now projected for 2050. However, population controls are not mentioned as a possible strategy. Suggestions for reducing demand are essentially limited to eating less meat and more insects, as well as establishing good governance and eliminating pervasive worldwide corruption. Why not make reduced world population a central part of the proposed mix of solutions for the future?

ARTHUR H. WESTING

Westing Associates in Environment, Security, and Education, Putney, VT 05346, USA. E-mail: westing@sover.net

**Editor's Note:** We received a number of thoughtful letters on this point. You can read them online at [www.sciencemag.org/cgi/eletters/328/5975/169-b](http://www.sciencemag.org/cgi/eletters/328/5975/169-b).

JENNIFER SILLS

### Food Security: Green Revolution Drawbacks

AS DISCUSSED IN THE SPECIAL SECTION ON FOOD Security (12 February, p. 797), the process of increasing food production and improving its quality to sustain population growth without compromising environmental safety has been called a global green revolution. Science and technology are supposed to play a key role in this revolution by enhancing crop efficiency and food quality, as well as developing alternative protein sources (1). A successful green revolution, however, will likely maintain or exacerbate the current rates of population growth, eventually leading to resource exhaustion. Scientists should think critically about the green revolution option, just as they would

about any other scientific endeavor. A green revolution is only needed if the current global economy and mode of development must be maintained.

VALENTÍ RULL

Palynology and Paleoecology Laboratory, Botanical Institute of Barcelona, 08038 Barcelona, Spain. E-mail: vrull@ibb.csic.es

**Reference**

1. J. Beddington, *Phil. Trans. R. Soc. B* **365**, 61 (2010).

### Food Security: Beyond Technology

THE AUTHORS OF THE SPECIAL SECTION ON Food Security (12 February, p. 797) make a plausible case that feeding a hungry world requires “rethinking agriculture.” Unfortunately, the advocacy on display here implies that technological solutions—any technological solutions—are not only necessary but sufficient. This would be a serious mistake.

Those of us engaged “on the ground” in Africa and elsewhere know very well that the binding constraint on a viable food system is not deficient technology but the institutional (policy) and organizational (bureaucratic) incoherencies—touched on in

the Perspective by G. Ejeta (“African green revolution needn’t be a mirage,” p. 831)—that combine to pervert incentives, render necessary inputs unavailable, defeat the best efforts of dedicated extension agents, and generally encourage individual farmers to retreat into autarchy.

We have nothing against promising technology. We remain, however, incorrigible realists when it comes to the inevitable optimism that offers up the latest technical solution to complex policy and organizational settings and circumstances.

DANIEL W. BROMLEY

Professor Emeritus, Department of Agricultural and Applied Economics, University of Wisconsin–Madison, Madison, WI 53706, USA. E-mail: dbromley@wisc.edu

### Food Security: Crop Species Diversity

THE SPECIAL SECTION ON FOOD SECURITY (12 February, p. 797) did not consider the value of crop species diversity. It is agronomically, ecologically, nutritionally, and economically risky and unsustainable to rely almost exclusively on a handful of major crops to provide food for the world’s projected 9 billion people by 2050. Indeed, this approach may have been partially responsible for the failure of the green revolution in much of Africa.

Calls for improvement of major crops (described in M. Tester and P. Langridge’s



### Letters to the Editor

Letters (~300 words) discuss material published in *Science* in the previous 3 months or issues of general interest. They can be submitted through the Web ([www.submit2science.org](http://www.submit2science.org)) or by regular mail (1200 New York Ave., NW, Washington, DC 20005, USA). Letters are not acknowledged upon receipt, nor are authors generally consulted before publication. Whether published in full or in part, letters are subject to editing for clarity and space.

CREDIT: KRISTINA STEFANOVA/USAID

Review, "Breeding technologies to increase crop production in a changing world," p. 818), such as Africa's major staples (described in G. Ejeta's Perspective, "African green revolution needn't be a mirage," p. 831), should be extended to include locally important crops. Such crops generally are well adapted to local conditions, form the basis of local food systems, show remarkable resilience to environmental change, and frequently possess unique characteristics that are in demand on the global marketplace (1). Although the breeding infrastructure for such species is often severely underdeveloped and underfunded, breeding can be facilitated by linkages to closely related major crops (2). Strategies that aim to increase or sustain crop diversity in agricultural production systems have many benefits, including the maintenance of cultural practices and traditional knowledge, balanced nutrition, increased resilience to climate extremes, and exploitation of a broader array of environments for food production.

HANNES DEMPEWOLF,<sup>1\*</sup> PAUL BORDONI,<sup>2</sup> LOREN H. RIESEBERG,<sup>1</sup> JOHANNES M. M. ENGELS<sup>2</sup>

<sup>1</sup>The Biodiversity Research Centre and Department of Botany, University of British Columbia, Vancouver, BC V6T 1Z4, Canada. <sup>2</sup>Bioversity International, 00057 Maccaresse, Rome, Italy.

\*To whom correspondence should be addressed. E-mail: handem@biodiversity.ubc.ca

#### References

1. R. L. Naylor *et al.*, *Food Pol.* **29**, 15 (2004).
2. R. J. Nelson *et al.*, *Crop Sci.* **44**, 1901 (2004).

## Food Security: GM Crops Threaten Biodiversity

THE SPECIAL SECTION ON FOOD SECURITY (12 February, p. 797) appeared to strongly and uncritically support the application and development of genetically modified (GM) technologies and the reliance on agrochemicals. There

was little appreciation of the conflicts that are likely to arise. Increased access to expensive nonrenewable inputs, along with increased public acceptance and trust of GM crops, could threaten biodiversity (1, 2) and overall sustainability of agriculture. The articles should have acknowledged the success of non-GM alternatives, such as observed increases in yields resulting from low-input ecological practices on rainfed farms (3).

In their Review for the section ("Food security: The challenge of feeding 9 billion people," p. 812), H. C. J. Godfray *et al.* wrote, "we must avoid the temptation to further sac-

### CORRECTIONS AND CLARIFICATIONS

**Perspectives:** "A test for geoengineering?" by A. Robock *et al.* (29 January, p. 530). In the third paragraph, the sentence "Some authors have argued that the effects of polar testing could be confined to the Arctic (4)" should read, "Some authors, in simulations designed to control Arctic climate, have confined radiative forcing to the Arctic (4)." In the fourth paragraph, the phrase "Even if insertion does indeed have to end up as worldwide" should read "Even if insertion does indeed have to end up affecting a large part of the planet...."

**Association Affairs:** "Reflections on: Our planet and its life, origins, and futures" by J. J. McCarthy (18 December 2009, p. 1646). In the second sentence of the Fig. 10 caption, the allowed emissions should have been referred to as gray, not blue.

**Reports:** "Imaging the interaction of the heliosphere with the interstellar medium from Saturn with Cassini" by S. M. Krimigis *et al.* (13 November 2009, p. 971). Because of a conversion error, on p. 973, first column, line 15, the expression ( $B^2/2\mu_0 = 0.25$  pPa), and in Fig. 4 the label at lower right  $P_b \sim 0.25$  pPa are both inconsistent with the value commonly assumed for the interstellar magnetic field (ISMF) of 0.25 nT (brought to the authors' attention by J. F. Cooper). The value of 0.25 nT for the ISMF corresponds to a pressure of 0.025 pPa. For the hot plasma pressure that was estimated (0.31 pPa) from the measurements to be balanced by the external ISMF, the external field would need to be  $\sim 0.9$  nT.

## Science Careers in Translation



Build new scientific relationships and explore the best way to conduct a clinical and translational science career at CTSciNet, the new online community from *Science*, *Science Careers*, and AAAS made possible by the Burroughs Wellcome Fund.

There's no charge for joining, and you'll enjoy access to:

- Practical and specific information on navigating a career in clinical or translational research
- Opportunities to connect with other scientists including peers, mentors, and mentees
- Access to the resources of the world's leading multidisciplinary professional society and those of our partner organizations

Connect with CTSciNet now at:  
[Community.ScienceCareers.org/CTSciNet](http://Community.ScienceCareers.org/CTSciNet)

**CTSciNet**   
Clinical and Translational Science Network

Presented by



## Learn how current events are impacting your work.

**ScienceInsider**, the new policy blog from the journal *Science*, is your source for breaking news and instant analysis from the nexus of politics and science.

Produced by an international team of science journalists, *ScienceInsider* offers hard-hitting coverage on a range of issues including climate change, bioterrorism, research funding, and more.

Before research happens at the bench, science policy is formulated in the halls of government. Make sure you understand how current events are impacting your work. Read *ScienceInsider* today.

[www.ScienceInsider.org](http://www.ScienceInsider.org)

**ScienceInsider**

Breaking news and analysis from the world of science policy



rifice Earth's already hugely depleted biodiversity for easy gains in food production." By being held hostage to the agro-industrial "machine," we succumb to that temptation.

**REYES TIRADO\* AND PAUL JOHNSTON**

Greenpeace Research Laboratories, School of Biosciences, University of Exeter, Exeter EX4 4RN, UK.

\*To whom correspondence should be addressed. E-mail: r.tirado@exeter.ac.uk

#### References

1. E. J. Rosi-Marshall *et al.*, *Proc. Natl. Acad. Sci. U.S.A.* **104**, 16204 (2007).
2. J. Schmidt, C. Braun, L. Whitehouse, A. Hilbeck, *Arch. Environ. Contam. Toxicol.* **56**, 221 (2009).
3. J. N. Pretty, J. I. L. Morison, R. E. Hine, *Agric. Ecosys. Environ.* **95**, 217 (2003).

## Food Security: Rigorous Regulation Required

WE AGREE WITH N. V. FEDOROFF *ET AL.* THAT the U.S. regulatory framework for agricultural biotechnology needs serious reexamination ("Radically rethinking agriculture for the 21st century," Perspectives, special section on Food Security, 12 February, p. 833). However, we disagree with their suggestion that regulators should relax

oversight to facilitate biotechnology products' entry into the market. The existing framework is already too weak. For example, under current food laws, the Food and Drug Administration (FDA) does not require data, review it, and then use it to conclude that biotech plant foods are safe (1). Instead, the agency reviews studies submitted by product developers and issues letters that simply restate the developers' conclusions about the safety of their products [e.g., (2)]. Understanding that this cozy approach would be unacceptable for biotech food animals, FDA regulates them under stronger, but inappropriate, authority as drugs (3).

The authors are wrong to assert that genetically modified (GM) crops are safe because we've consumed them "without incident" for 15 years. First, no agency collects data to evaluate adverse incidents, and because GM foods aren't labeled, consumers experiencing problems would not know to report them as such. Second, the relative safety of the insect- and herbicide-resistant crops that dominate today says little about the safety of more complex traits the industry has promised for the future.

There are some benefits associated with GM crops, but the authors oversell their virtues. Insect-resistant crops have reduced insecticide use, but this is offset by the surge in herbicide use due to resistant weeds (4). GM corn and soy yields have indeed risen, but the increase is largely due to the success of classical breeding and other practices, not GM traits (5). Finally, further increases in no-till farming would have environmental payoffs, but recent research has called into question the extent of its carbon sequestration benefits (6–8).

We applaud the authors' recommendation to radically rethink the U.S. agriculture system, but it might be simpler than they suggest. Cover-cropping and four-crop rotations for commodity crops, for example, would enable farmers to reduce pesticide use and nitrogen fertilizer pollution [e.g., (9, 10)] without ever encountering a federal regulator. Policymakers should prioritize increased research support to optimize such methods and provide incentives for farmers to adopt them.

**MARGARET MELLON**

Food and Environment Program Director, Union of Concerned Scientists, Washington, DC 20006, USA. E-mail: mmellon@ucusa.org

## References and Notes

1. U.S. Food and Drug Administration, "Consultation procedures under FDA's 1992 statement of policy: Foods derived from new plant varieties" (1997); [www.fda.gov/Food/GuidanceComplianceRegulatoryInformation/GuidanceDocuments/Biotechnology/ucm096126.htm](http://www.fda.gov/Food/GuidanceComplianceRegulatoryInformation/GuidanceDocuments/Biotechnology/ucm096126.htm).
2. A letter from FDA to a biotechnology developer at the conclusion of a safety review includes the following: "Based on the safety and nutritional assessment that Pioneer has conducted, it is our understanding that Pioneer has concluded that the new soybean variety is not materially different in any respect relevant to food or feed safety compared to soybean varieties currently on the market and that the genetically engineered soybean does not raise issues that would require premarket review or approval by FDA" (emphasis added); [www.fda.gov/Food/Biotechnology/Submissions/ucm155567.htm](http://www.fda.gov/Food/Biotechnology/Submissions/ucm155567.htm).
3. U.S. Food and Drug Administration, "Guidance for industry: Regulation of genetically engineered animals containing heritable recombinant DNA constructs, final guidance" (2009); [www.fda.gov/downloads/AnimalVeterinary/GuidanceComplianceEnforcement/GuidanceforIndustry/UCM113903.pdf](http://www.fda.gov/downloads/AnimalVeterinary/GuidanceComplianceEnforcement/GuidanceforIndustry/UCM113903.pdf).
4. C. Benbrook, "Impacts of genetically engineered crops on pesticide use: The first thirteen years" (The Organic Center, Boulder, CO, 2009); [www.organic-center.org/science.pest.php?action=view&report\\_id=159](http://www.organic-center.org/science.pest.php?action=view&report_id=159).
5. D. Gurian-Sherman, "Failure to yield: Evaluating the performance of genetically engineered crops" (Union of Concerned Scientists, Cambridge, MA, 2009); [www.ucsusa.org/food\\_and\\_agriculture/science\\_and\\_impacts/science/failure-to-yield.html](http://www.ucsusa.org/food_and_agriculture/science_and_impacts/science/failure-to-yield.html).
6. J. M. Baker *et al.*, *Agric. Ecosys. Environ.* **118**, 1 (2007).
7. H. Blanco-Canqui, R. Lal, *Soil Sci. Soc. Am. J.* **72**, 693 (2008).
8. V. Poirier *et al.*, *Soil Sci. Soc. Am. J.* **73**, 255 (2009).
9. M. Liebman *et al.*, *Agron. J.* **100**, 600 (2008).
10. C. Tonitto *et al.*, *Agric. Ecosys. Environ.* **112**, 58 (2005).

## Food Security: Focus on Agriculture

THE REVIEW BY H. C. J. GODFRAY *ET AL.* (12 February, p. 812) and the rest of the special section on Food Security call for a multifaceted approach to future global food security. We would like to emphasize three agricultural issues that were lacking.

First, it is important to analyze yield as the result of genotype, environment, and management interactions. This type of analysis permits a nuanced understanding of the factor(s) that lie behind regional differences in yield gaps, especially between developed- and developing-country agriculture. These insights can then be used to apply more targeted research as needed.

Second, we must pursue the fastest route to improved yield. We have 30 to 40 years, and it can take 10 to 15 years to develop a food crop variety that can be cultivated extensively in farmers' fields. We have little time to experiment with totally new crop plants and need to work with currently available genetic material. Poor farmers in Africa will benefit sooner by having access to plentiful and inexpensive nitrogen and phosphorus fertilizer than by

waiting for possible N-fixing cereal crops.

Third, there needs to be a focus on scenario-building exercises for agriculture—the kind used in the development of the Millennium Ecosystem Assessment and the IPCC reports. Major drivers such as regional or global agricultural markets should be analyzed against low or high impacts of environmental change (including climate) on agriculture. Such scenario analyses recognize that agriculture is more than just food production; this is a crucial perspective, given that 45% of the global population depends on agriculture for their livelihoods.

JOHN R. PORTER,<sup>1\*</sup> ANDREW CHALLINOR,<sup>2</sup>  
FRANK EWERT,<sup>3</sup> PETE FALLOON,<sup>4</sup> TONY FISCHER,<sup>5</sup>  
PETER GREGORY,<sup>6</sup> MARTIN K. VAN ITTERSUM,<sup>7</sup>  
JØRGEN E. OLESEN,<sup>8</sup> KENNETH J. MOORE,<sup>9</sup>  
CYNTHIA ROSENZWEIG,<sup>10</sup> PETE SMITH<sup>11</sup>

<sup>1</sup>Department of Agriculture and Ecology, University of Copenhagen, 1870 Copenhagen, Denmark. <sup>2</sup>Institute for Climate and Atmospheric Science, University of Leeds, Leeds LS2 9JT, UK. <sup>3</sup>Institute of Crop Science and Resource Conservation, University of Bonn, Katzenburgweg 5, D-53115 Bonn, Germany. <sup>4</sup>Hadley Centre, FitzRoy Road, Exeter EX1 3PB, UK. <sup>5</sup>ATSE Crawford Fund, One Geils Court, Deakin, 2600 ACT, Australia. <sup>6</sup>Scottish Crop Research Institute, Invergowrie, Dundee DD2 5DA, Scotland, UK. <sup>7</sup>Plant Production Systems Group, Wageningen University, Droevendaalsesteeg 1, 6708 PB Wageningen, The Nether-

lands.<sup>8</sup>Department of Agroecology and Environment, University of Aarhus, Blichers Allé, DK-8830 Tjele, Denmark.<sup>9</sup>Department of Agronomy, Iowa State University, 2101 Agronomy Hall, Ames, IA 50011–1010, USA.<sup>10</sup>NASA Goddard Institute for Space Studies, 2880 Broadway, New York, NY 10025, USA.<sup>11</sup>Institute of Biological and Environmental Sciences, University of Aberdeen, Aberdeen AB24 3UU, Scotland, UK.

\*To whom correspondence should be addressed. E-mail: jrp@life.ku.dk

## Food Security: Fossil Fuels

THE SPECIAL SECTION ON FOOD SECURITY (12 February, p. 797) omitted two points. First, addressing the unmet need for voluntary, cost-effective family planning (*1*) deserves mention as a means for improving global food security in the coming decades. Second, any discussion of food security should address the dangerously heavy dependence of global agriculture on fossil fuels. Although several authors stressed the need for sustainability in agricultural systems, none even alluded to the virtual certainty that the peak of global oil production will occur before 2050. The rise in food prices in 2008 and the attendant civil unrest derived in part from the extreme rise in the costs of oil and of fertilizer. The potential for similar disruption in the future—possibly as soon as the global economy

recovers—deserves serious consideration.

**RICHARD E. WHITE<sup>1\*</sup> AND RICHARD GROSSMAN<sup>2</sup>**

<sup>1</sup>Sustainability Alliance of Southwest Colorado, Durango, CO 81302, USA. <sup>2</sup>Department of Biology, Fort Lewis College, Durango, CO 81301, USA.

\*To whom correspondence should be addressed. E-mail: rwhite@gobrainstorm.net

### Reference

1. S. Singh et al., *Adding it Up: The Benefits of Investing in Sexual and Reproductive Health Care* (Alan Guttmacher Institute, New York, 2003).

## Food Security: Perception Failures

THE SPECIAL SECTION ON FOOD SECURITY (12 February, p. 797) examines several obstacles to achieving global food security. One obstacle the section did not address is perception failure.

Perception failure poses an imminent danger to the advancement of science. Consumer resistance to genetically modified (GM) products affects trade relations and reduces private research and development on plant biotechnology (*1*). A case in point is the recent rejection of GM eggplant in India, detailed in the News of the Week story by P. Bagla in the same issue (“After acrimonious debate, India rejects GM

eggplant,” p. 767). GM technology is not new to India; *Bacillus thuringiensis* (Bt) cotton was first commercialized in India in 2002. Since then, about 5 million farmers have adopted the technology (*2*). Thus, negative experiences with GM crops cannot explain the rejection of Bt eggplant. Nor can regulation—India’s highest biotechnology regulatory body, The Genetic Engineering Approval Committee, approved the Bt eggplant, deeming the technology safe (recounted in Bagla’s News story). The major obstacle stemmed not from inadequate technology or strict regulations, but from the public’s perception of the technology. Bridging the gap between science and society needs to be a high priority in order to put all currently available science to efficient use in addressing global food security concerns.

**ARJUNAN SUBRAMANIAN,<sup>1,2\*</sup>**

**KERRY KIRWAN,<sup>1</sup> DAVID PINK<sup>2</sup>**

<sup>1</sup>Warwick Manufacturing Group, University of Warwick, Coventry CV4 7AL, UK. <sup>2</sup>Warwick HRI, University of Warwick, Coventry CV35 9EF, UK.

\*To whom correspondence should be addressed. E-mail: s.arjunan@warwick.ac.uk

### References

1. J. Huang, S. Rozelle, C. Pray, Q. Wang, *Science* **295**, 674 (2002).
2. C. James, *ISAAA Briefs* **39** (2008).