

# **Evolution in Well-being and Happiness after Increases in Consumption of Fruit and Vegetables**

**Redzo Mujcica and Andrew J. Oswald**

July 2016

No: 1128

Warwick Economics Research Papers

ISSN 2059-4283 (online)

ISSN 0083-7350 (print)

1 **Evolution in Well-being and Happiness after Increases in**  
2 **Consumption of Fruit and Vegetables**

3  
4  
5 2016  
6  
7

8  
9 Redzo Mujcic<sup>a</sup> and Andrew J. Oswald<sup>b\*</sup>  
10

11  
12  
13  
14 <sup>a</sup> *Faculty of Health and Behavioural Sciences, University of Queensland, Brisbane QLD 4072,*  
15 *Australia.*

16 <sup>b</sup> *Department of Economics and CAGE Centre, University of Warwick, Coventry, CV4 7AL,*  
17 *UK.*  
18

19  
20  
21  
22  
23  
24 2016 *ajph*  
25

26  
27 \*To whom correspondence should be addressed: phone: +44 (0)2476 523510. Email:  
28 [andrew.oswald@warwick.ac.uk](mailto:andrew.oswald@warwick.ac.uk). Full address: University of Warwick, Coventry CV4 7AL,  
29 United Kingdom.  
30

31  
32  
33 WORD COUNT: 3100 words approx. (excluding supplemental material).

## Abstract

34  
35

### OBJECTIVES

37 To explore whether improvements in psychological well-being occur after increases in fruit  
38 and vegetable consumption.

### METHODS

40 Longitudinal food diaries were examined on 12,000 randomly-sampled Australian adults over  
41 2007, 2009, and 2013. The study estimated fixed-effects regression equations on individuals'  
42 happiness and life satisfaction. It adjusted for a large set of other influences, including people's  
43 changing incomes and personal circumstances. Prospective analysis, Granger-causality tests,  
44 and instrumental-variable estimation were also done.

### RESULTS

46 Increases in fruit and vegetable intake were predictive of increases in happiness and life  
47 satisfaction. Well-being improvements were of up to 0.24 life-satisfaction points (for an  
48 increase of 8 portions a day), which is equal in size to the psychological gain of moving from  
49 unemployment to employment. Improvements occurred within 24 months.

### CONCLUSIONS

51 People's motivation to eat healthy food is weakened by the fact that physical-health benefits  
52 accrue decades later. This study offers a new possibility. Public-health policy could emphasize  
53 immediate well-being improvement from healthy eating.

### POLICY IMPLICATIONS

55 Citizens could be shown longitudinal evidence that 'happiness' gains from healthy eating can  
56 occur quickly and many years before enhanced physical health.

57 Fruit and vegetables are known to provide important health benefits (*1, 2*). Yet in Western  
58 society the typical citizen eats an unhealthy diet (US data are available at [www.cdc.gov/brfss](http://www.cdc.gov/brfss)  
59 and European data at [www.eufic.org](http://www.eufic.org)). The difficulty of persuading people to consume more  
60 fruit and vegetables remains a serious one (*3-7*).

61 This study explores a new approach to the problem. The paper is designed partly for the  
62 scientific researcher and partly for the public-health practitioner. It uncovers evidence  
63 consistent with a longitudinal connection between the consumption of certain foods (especially  
64 fruit and vegetables) and later subjective well-being, and a channel that appears to be  
65 independent of long-run health.

66 In disciplines beyond public-health research, the study of happiness and well-being has  
67 generated a large modern literature. It is summarized in sources such as *8, 9*. The potential  
68 influence of food has been virtually ignored. Traditional research on well-being has focused  
69 upon the role of economic, personal, and political influences (see e.g. *9, 10, 11*) and in character  
70 has been steadily moving in emphasis from cross-sectional to longitudinal analysis (e.g. *12*).  
71 That the scholarly literature has developed in the way described is perhaps unsurprising. First,  
72 most data sets do not record information on the foods eaten by individuals; second, the main  
73 contributors to the happiness and well-being literature have been researchers from the classic  
74 social-science disciplines. Hence it is perhaps understandable that the role of food in the list  
75 of determinants of well-being has so far been given little attention, even though, in an important  
76 line of work, researchers (such as *13*) have, within a different literature, drawn attention to the  
77 potential social significance of diet.

78 The present study uses a representative panel of 12,000 individuals to trace the potential  
79 linkages running from diet to later life satisfaction and happiness. It is intended as a  
80 complement to the aforementioned literature on socio-economic influences. In its style, the  
81 study fits within an emerging panel-data literature on human well-being. The analysis is first  
82 done by following individuals between 2007 and 2009. Just as the project was completed,  
83 however, new data were released, which makes it possible to check the calculations also for  
84 the period 2009 to 2013 (these replication findings are reported in supplemental tables S9-S11).

85 There are precursors to this paper. Innovative research by Tamlin Conner and  
86 collaborators (*14*) has found -- using data on daily food diaries on 281 students tracked over a  
87 three-week period -- that a high level of fruit and vegetable consumption appears to be  
88 predictive of greater emotional well-being on the following day. Various cross-sectional  
89 papers have also pointed to the possible existence of a statistical connection between  
90 psychological well-being and the amount of fruit and vegetables eaten, and have shown that

91 this correlation survives the inclusion of a large number of covariates (15).

92 There is also a small longitudinal literature which suggests there may be positive benefits  
93 from a high intake of fruit and vegetables, although, crucially, that literature has not been able  
94 to control for some of the key confounders such as individuals' levels of income (16-19). There  
95 have also been three important small randomized controlled trials: on nutritional counseling  
96 and on the provision of healthy food and snacks (20, 21, 22), which find some evidence that a  
97 higher intake of fruit and vegetables may be associated with improved psychological health (as  
98 well as physical health). Another set of writings has tried to understand obesity and its links  
99 to subjective well-being (e.g. 23, 24). These suggest that there is an inverse -- although  
100 relatively small -- correlation between body mass index BMI and mental well-being.

101 This paper documents not cross-sectional patterns but rather the longitudinal (the so-called  
102 'change-on-change') linkages between fruit and vegetable consumption and mental well-being;  
103 such an approach helps ensure that any observed relationship is not merely a spurious cross-  
104 sectional pattern caused by omitted confounding factors such as personality, background  
105 wealth, or prior family upbringing. Cognizant of the work of others (25), this paper examines  
106 whether the level of fruit and vegetable consumption today is predictive of the level of later  
107 well-being, while inquiring into reverse-causality concerns hitherto unaddressed in the  
108 happiness literature.

109

## 110 **METHODS**

111

112 The main data in this study come from Waves 7 and 9 (years 2007 and 2009) of the Household,  
113 Income and Labour Dynamics in Australia (HILDA) Survey, a nationally representative panel  
114 survey that began in 2001. The HILDA Survey collects annual longitudinal information from  
115 members of Australian households who are at least 15 years of age. It provides information on  
116 a total of 13,969 individuals from 7,682 different households interviewed since the first wave.  
117 Data are collected each year by face-to-face interviews and self-completion questionnaires.  
118 The former technique is mainly used to gather the demographic and socio-economic  
119 information, while the latter is adopted to measure health and lifestyle choices.

120 After excluding respondents with missing information on the key outcome and control  
121 variables, the total sample available for this study consists of 12,389 individuals (aged 15 to  
122 93) and 20,136 person-year observations. No observations are deliberately dropped. As would  
123 be expected, however, the sample sizes vary slightly across the different well-being measures.

124 Two questions relating to fruit and vegetable consumption are available in Waves 7 and 9.  
125 The corresponding questionnaires ask:

126 - *Including tinned, frozen, dried and fresh fruit, on how many days in a usual*  
127 *week do you eat fruit?*

128 - *Including tinned, frozen and fresh vegetables, on how many days in a usual*  
129 *week do you eat vegetables?*

130 with possible responses ranging from 0 (“do not eat any fruit or vegetables in a usual week”)  
131 to 7 days per week. For individuals who respond with some positive frequency to the questions  
132 above, the following is also asked:

133 - *On a day when you eat fruit, how many serves of fruit do you usually eat?*

134 - *On a day when you eat vegetables, how many serves of vegetables do you usually eat?*

135 The survey respondents are shown flashcards to visually define a serving size or portion  
136 (photographs of these are given as Figures S3-S4 in the Supplemental Material), with possible  
137 answers ranging from ‘1’ to ‘6 or more’ portions. This visual approach is for simplicity and  
138 clarity (see, e.g., 26). We multiply the responses to the above paired (frequency and quantity)  
139 questions to form a weekly consumption amount of fruit and vegetables, respectively. We then  
140 divide each resulting product by seven to arrive at the average daily amount. The average  
141 intake of fruit by each survey respondent is then added to their average intake of vegetables to  
142 compute the combined average daily consumption of fruit and vegetables. The mean value is  
143 3.84 serves per day with a standard deviation of 2.01. Some respondents said they did not  
144 consume any fruit or vegetables in a typical week. This group forms the ‘none’ or ‘zero’  
145 consumption category. Approximately 85% of respondents have fewer than 3 daily servings  
146 of fruit; 60% consume fewer than 3 daily servings of vegetables. A small fraction of people  
147 consume, on average, both more than 5 servings of fruit (1.83%) or vegetables (7.75%) each  
148 day. Table S8 contains more detailed summary statistics on the separate fruit and vegetable  
149 intake measures.

150 The first dependent variable examined is self-reported life satisfaction, derived from  
151 the question: “*All things considered, how satisfied are you with your life?*” Respondents are  
152 told to: “*Pick a number between 0 and 10 to indicate how satisfied you are*”, and that “*the more*  
153 *satisfied you are the higher number you should pick*”. Overall, the mean score for the sampled  
154 individuals in Australia is 7.91 with a standard deviation of 1.41. About two-thirds of

155 respondents report a life satisfaction score of more than 7 out of 10. As an additional check, a  
156 second measure is used. A generic health variable available in the HILDA data set is the  
157 Medical Outcomes Short Form (SF-36) Questionnaire. The SF-36 is a one of the most widely  
158 used and validated self-completion measures of health status available, consisting of 36  
159 items/questions; 35 of them are used to derive eight health subscales/indices. The respondent  
160 is asked '*how much of the time in the past four weeks..*' did he/she experience particular types  
161 of feelings/symptoms, including '*... been a happy person*'. The resulting response distribution  
162 for the latter question is as follows: 1% (None of the time); 4.8% (A little of the time); 13.9%  
163 (Some of the time); 19.5% (A good bit of the time); 51.9% (Most of the time); 8.9% (All of the  
164 time). The individuals' responses are coded as from 1 (None of the time) to 6 (All of the time),  
165 with a mean happiness score of 4.43 out of 6.

166

## 167 **RESULTS**

168

169 Figure 1 is a simple graphical illustration of the study's key result for life satisfaction. A  
170 similar histogram holds also for happiness data. The plot in Figure 1 is based on a so-called  
171 fixed-effect regression equation. It depicts the (uncorrected) longitudinal relationship -- the  
172 change-on-change relationship -- between people's subjective well-being and nine different  
173 levels of fruit and vegetable consumption. Further descriptive information is provided in the  
174 Supplemental Material. Alternative kinds of scatter plots are given as Figures S1 and S2 in  
175 that material.

176 The regression analyses reported in Table 1 provide formal evidence. These correct for  
177 other influences following sources such as (8) and (27). The key coefficient in the first column  
178 of Table 1 is 0.03 ( $\beta = 0.03$ , 95% confidence interval, or CI = [0.01, 0.04],  $p = .002$ ). This  
179 implies that a change from the lowest levels to the highest levels of fruit and vegetable  
180 consumption would, on average, be associated with a rise in life satisfaction of approximately  
181 0.24 life-satisfaction points.

182 The implied effect-size is substantial. At first glance, the number 0.24 might be thought  
183 to indicate that the consequences of fruit and vegetable intake are minor. That interpretation  
184 is mistaken; it stems from a blurring of the distinction between inter-person variance and intra-  
185 person variance. As in much of the longitudinal public-health research, this study tries to  
186 understand not the (inevitably high) cross-sectional variation in human well-being but instead  
187 intra-person changes that might be capable of being influenced by public interventions. In  
188 column 1 of Table 1, this requires that a number such as 0.24 (which is 8 times the coefficient

189 of 0.03) has to be added to the number 7.81. As can be seen from the later right-hand-side  
190 columns of Table 1, the effect is the equivalent in absolute size to (in the negative direction)  
191 that of becoming unemployed or approximately half the size of the emotional consequence of  
192 marital separation. Such an effect-size is large.

193 If Model 1 of Table 1 were the only regression result available, it would be plausible to  
194 believe that the relationship is spurious. It might be being driven by omitted variables -- for  
195 example, someone, say, becoming richer through time and becoming happier and  
196 simultaneously eating in a healthier way because they could now afford it, or, say, divorcing a  
197 spouse and becoming less happy and also eating in a less healthy way. However, the later  
198 columns of Table 1 imply that such interpretations would be incorrect. The analyses here  
199 include extra covariates: the natural logarithm of household income, age, education, whether  
200 working, marital status, health, children, alcohol and food patterns, Body Mass Index, and  
201 exercise (for a detailed specification of these variables see Tables S7-S8 in the Supplemental  
202 Material). In Table 1, there is no detectable influence from BMI. A later table, Table S3 in  
203 the Supplemental Material, however, is consistent with the existence of an inverse relationship  
204 between current BMI and future well-being.

205 Figure 1 uses coefficients from longitudinal estimates. Fixed-effect estimation is  
206 equivalent here to a first-difference estimator, as discussed in 28, so they emerge, in effect,  
207 from regressing the change in well-being between 2007 and 2009 on the change over that  
208 period in variables such as food consumption, income, marital status, and so on. This is why,  
209 in Table 1, attributes such as gender and ethnicity are omitted; they are unchanging and thus  
210 have automatically been differenced out. Table 2 repeats the calculations for the alternative  
211 dependent variable of feeling happy. Results are similar.

212 An open scientific issue is whether diet might have slow-acting effects on mental well-  
213 being. The analyses reported in Table 3 explore this. They treat the data as if from a  
214 prospective setting. Here the regression equations reveal that fruit and vegetable consumption  
215 in the current year is predictive of higher well-being -- measured either as life satisfaction or  
216 as happiness -- in the future even after controlling for current well-being (as well as controlling  
217 for the list of covariates in the tables). Hence, in the life-satisfaction equation in Table 3, for  
218 example, where the dependent variable is life satisfaction measured in period  $t+1$ , a variable  
219 for fruit and vegetable consumption in period  $t$  is statistically significant at the 99.9%  
220 confidence level ( $\beta = 0.03$ , 95% CI = [0.01, 0.04],  $p < .001$ ), while holding constant life  
221 satisfaction in period  $t$ , which itself enters, as would be expected, with a large positive  
222 coefficient. Similar results are found for happiness in Table 3. The Supplemental Material



223 provides the equation specifications.

224 Such prospective analysis is subject to a potential objection. It is that some form of  
225 correlation might run in both directions simultaneously. To check for this, a form of Granger  
226 causality test was done, and is given in the Supplemental Material. Tables S4 and S5 test  
227 whether fruit and vegetable consumption in the future can be predicted from the level of life  
228 satisfaction or happiness in the current period. In neither case is there evidence for such  
229 reverse-causality; the effect does not achieve statistical significance in either of the tables. In  
230 Table S4, in fact, the variable has the wrong point-estimate sign ( $\beta = -0.003$ , 95% CI = [-0.03,  
231 0.02],  $p > .250$ ).

232 We checked whether the findings can be reproduced on a new round of the panel data  
233 set, which was released, towards the end of our project, for the year of 2013. The paper's key  
234 results can be replicated; the findings are presented in supplemental tables S9-S11. It can be  
235 seen in the extra tables that the coefficients remain essentially identical to those presented in  
236 the main body of the paper.

237 We also did a test for whether fruits and vegetables should be separated into two  
238 independent variables – rather than combined into the number of daily F&V portions variable  
239 that has been traditional in research on physical health. The results (not reported) suggested  
240 that for happiness and life-satisfaction equations it was appropriate to combine them into a  
241 single F&V variable. The null hypothesis of an identical well-being gradient for fruit intake  
242 and vegetables intake could not be rejected.

243 Last, we made another effort, in addition to the Granger causality tests, to tackle the  
244 inevitably complex issue of causality. To do so we exploit a public campaign that was designed  
245 to encourage healthy eating in Australia. Scientifically, the advantage of such a campaign is  
246 that, from a researcher's point of view, an advertising campaign of this kind could be seen as  
247 an exogenous positive 'shock' to people's motivation to eat a greater number of portions of  
248 fruit and vegetables. Hence it offers the possibility of a form of natural experiment: as the  
249 campaign came in, with different timings in different states, it might be expected that it would  
250 shift people's consumption decisions at these particular points in time. Any consequences, for  
251 mental well-being and physical well-being, might then go on to be detectable.

252 Known as the "Go For 2&5 Campaign", this initiative began in the state of Western  
253 Australia in the year 2004. It spread, at different speeds, into most of the other Australian  
254 states. Two-stage least squares estimation can then be done (as described in reference 29).  
255 The instrumental-variable estimates are provided in supplemental tables S12-S15.

256 In this form of inquiry, we exploit the fact that different Australian states had different

257 number of years over which they systematically promoted the consumption of fruit and  
258 vegetables. Victoria did so for zero years; New South Wales for 2 years; Tasmania for 4 years;  
259 South Australia for 4 years; Queensland for 5 years; the Northern Territories for 7 years; ACT  
260 for 7 years; and Western Australia for 10 years. Thus we create a variable for Intensity of  
261 Campaign. This adds up the length (i.e. number of years) that a state had previously had a  
262 campaign. All states in our analysis are thereby given an integer-valued entry, from 0 for  
263 Victoria to 10 for Western Australia, as a measure of the different intensities of the public fruit-  
264 and-vegetable campaign in the different states. In plainer English, the citizens of each region  
265 can be thought of as having a different level of ‘publicly-sponsored push’ to eat in a healthy  
266 way. That policy variable can be viewed as an extraneous influence upon later state levels of  
267 consumption of fruit and vegetables.

268 Analytically, we then take two steps. The first is to estimate a Consumption of Fruit+Veg  
269 equation (not a well-being equation) for the year 2013. We then test whether a variable for  
270 Campaign Intensity comes in positively in that equation. We find that it does, with a  
271 statistically significant coefficient. Hence there is evidence that the Australian healthy-eating  
272 campaign had an effect on fruit and vegetable intake. Then, in the second stage of our two-  
273 stage least-squares estimation, a set of instrumented well-being regression equations for the  
274 year 2013 are estimated. The purpose is to correct for simultaneity bias and the possibility of  
275 reverse causality. After doing so, an instrumented variable for fruit and vegetable consumption  
276 is found to enter positively in a well-being equation (as in Table S12). Hence there is some  
277 evidence that the Australian healthy-eating campaign may have improved people’s levels of  
278 life satisfaction and happiness. Nevertheless, it is not possible statistically to be certain of that  
279 conclusion. As is often found in the statistical literature on two-stage least-squares estimation,  
280 the level of statistical power here is insufficient for us to obtain truly small standard errors in  
281 the second-stage equations. The paper’s confidence levels do not exceed 75% when using this  
282 final form of statistical method.

283

## 284 **DISCUSSION**

285

286 This study is a longitudinal examination of the links between food and people’s  
287 psychological well-being. It examines data on the lives of a nationally representative sample  
288 of approximately 12,000 individuals between 2007 and 2009, and is able to check, and  
289 replicate, its main findings for additional newly-released data over the period 2009 to 2013.  
290 Prospective analysis and Granger-causality tests are also done. By using information on the

291 Australian “Go for 2&5 Campaign” it also attempts to offer instrumental-variable estimation.

292 This study’s findings are consistent with the idea that eating certain foods is a form of  
293 investment in future happiness. The implications of fruit and vegetable consumption are  
294 estimated to be substantial and to operate within the space of two years -- too quickly to be a  
295 reflection of the physical advantages of diet for outcomes such as cardiovascular disease  
296 documented by earlier researchers (2). Moreover, as shown in Table S6 of the Supplemental  
297 Material, the fruit-and-vegetables effect still operates if the regression equation includes an  
298 extra covariate for self-reported health.

299 In a sense, the paper offers a new possibility for future public-policy programs to  
300 encourage healthy eating – the possibility that citizens in western society could be given  
301 evidence that ‘happiness’ gains from healthy eating may show up much more quickly than any  
302 long-distant improvement to their physical health. If individuals weigh up the likely benefits  
303 of fruit and vegetables in their diet, and set that against any perceived costs, both pecuniary  
304 and non-pecuniary, of doing so, scientific evidence of extra gains from a healthy diet may help  
305 persuade people to raise their intake of fruit and vegetables.

306 Two main issues remain to be tackled. First, although at the end of this study we  
307 attempted to address the causality problem by using instrumental-variable methods, a huge  
308 randomized trial would lead to a natural form of scientific evidence. The well-being research  
309 literature is, however, far from such a point; a randomized trial would have its own inherent  
310 difficulties, because a double-blind procedure would not be feasible, so placebo effects would  
311 be hard to disentangle; and large-scale longitudinal studies, of the sort described in this study,  
312 would still be required as part of a body of persuasive evidence. Second, the channels from  
313 eating certain food types to subjective well-being remain to be properly understood. For  
314 example, (18, 30) discuss a variety of intriguing possibilities. These include a potential  
315 influence from vitamin B12 upon the eventual production of human serotonin, as well as the  
316 idea of a role for folate deficiency (see also 31). A further potential channel (32) is that  
317 microbiota may modulate brain chemistry. Lastly, it may be possible eventually to link the  
318 current research to a new literature on antioxidants that is suggestive of a connection between  
319 human optimism and carotenoid in the blood (33). Further connections between the biology  
320 and practical public-health policy of healthy eating (34) remain to be forged. These issues  
321 demand attention.

322

## References

- 323
- 324
- 325 1. Patterson BH, Block G (1988). Food choices and the cancer guidelines. *American Journal*  
326 *of Public Health* 78, 282-286.
- 327 2. Ames BN, Shigenaga MK, Hagen TM (1993). Oxidants, antioxidants, and the degenerative  
328 diseases of aging. *Proceedings of the National Academy of Sciences of the USA* 90, 7915-  
329 7922.
- 330 3. Serdula MK, Gillespie C, Kettel-Khan L, et al. (2004). Trends in fruit and vegetable  
331 consumption among adults in the United States: Behavioural Risk Factor Surveillance  
332 System, 1994-2000. *American Journal of Public Health* 94, 1014-1018.
- 333 4. Lucan SC, Barg FK, Long JA (2010). Promoters and barriers to fruit, vegetable, and fast-  
334 food consumption among urban, low-income African Americans – A qualitative approach.  
335 *American Journal of Public Health* 100, 631-635.
- 336 5. Kwon SC, Wyatt LC, Kranick JA, et al. (2015). Physical activity, fruit and vegetable intake,  
337 and health-related quality of life among older Chinese, Hispanics, and Blacks in New York  
338 City. *American Journal of Public Health* 105, S544-S552.
- 339 6. Sacks R, Yi SS, Nonas C (2015). Increasing access to fruits and vegetables: Perspectives  
340 from the New York City experience. *American Journal of Public Health* 105, E29-E37.
- 341 7. Kesse-Guyot E, Andreeva VA, Lassale C, et al. (2014). Clustering of midlife lifestyle  
342 behaviors and subsequent cognitive function: A longitudinal study. *American Journal of*  
343 *Public Health* 104, E170-E177.
- 344 8. Dolan P, Peasgood T, White M (2008). Do we really know what makes us happy? A review  
345 of the economic literature on the factors associated with subjective well-being. *Journal of*  
346 *Economic Psychology* 29, 94-122.
- 347 9. Diener E (2013). The remarkable changes in the science of subjective well-being.  
348 *Perspectives on Psychological Science* 8, 663-666.
- 349 10. Easterlin RA (2003). Explaining happiness. *Proceedings of the National Academy of*  
350 *Sciences of the USA* 100(19), 11176-11183.
- 351 11. Oswald AJ, Wu S (2010). Objective confirmation of subjective measures of human well-  
352 being: Evidence from the USA. *Science* 327, 576-579.
- 353 12. Lucas RE (2007). Long-term disability is associated with lasting changes in subjective well-  
354 being: Evidence from two nationally representative longitudinal studies. *Journal of*  
355 *Personality and Social Psychology* 92, 717-730.

- 356 13. Otero G, Pechlaner G, Liberman G, Gurcan E (2015). The neoliberal diet and inequality in  
357 the United States. *Social Science & Medicine* 142, 47-55.
- 358 14. White BA, Horwath CC, Conner T S (2013). Many apples a day keep the blues away—Daily  
359 experiences of negative and positive affect and food consumption in young adults. *British*  
360 *Journal of Health Psychology* 18(4), 782-798.
- 361 15. Blanchflower DG, Oswald AJ, Stewart-Brown S (2011). Is psychological well-being linked  
362 to the consumption of fruit and vegetables? *Social Indicators Research* 114, 785-801.
- 363 16. Jacka FN, Kremer PJ, Berk M, et al. (2011). A prospective study of diet quality and mental  
364 health in adolescents. *PLOS ONE* 6, e24805.
- 365 17. Blank L, Grimsley M, Goyder E, et al. (2007). Community-based lifestyle interventions:  
366 changing behaviour and improving health. *Journal of Public Health* 29, 236-245.
- 367 18. Rooney C, McKinley MC, Woodside JV (2013). The potential role of fruit and vegetables  
368 in aspects of psychological well-being: A review of the literature and future directions.  
369 *Proceedings of the Nutrition Society* 72, 420-432.
- 370 19. Henriquez Sanchez P, Ruano C, de Irala J, Ruiz-Canela M, Martinez-Gonzalez MA,  
371 Sanchez-Villegas A (2012). Adherence to the Mediterranean diet and quality of life in the  
372 SUN project. *European Journal of Clinical Nutrition* 66, 360-368.
- 373 20. Steptoe A, Perkins-Porras L, Rink E, Capuccio FP (2004). Quality of life and self-rated  
374 health in relation to changes in fruit and vegetable intake and in plasma vitamins C and E  
375 in a randomized trial of behavioural and nutritional counselling. *British Journal of Nutrition*  
376 92, 177–184.
- 377 21. Salah M, Grimble G (2013). The effect of a fresh fruit and vegetable delivery on the health  
378 and independence of seniors. *International Journal of Food, Nutrition and Public Health*  
379 6, 123-141.
- 380 22. Smith AP, Rogers R (2014). Positive effects of a healthy snack (fruit) versus an unhealthy  
381 snack (chocolate/crisps) on subjective reports of mental and physical health: A preliminary  
382 intervention study. *Frontiers in Nutrition* [10.3389/fnut.2014.00010](https://doi.org/10.3389/fnut.2014.00010).
- 383 23. Oswald AJ, Powdthavee N (2007). Obesity, unhappiness and the challenge of affluence:  
384 Theory and evidence. *Economic Journal* 117, F441-F454.
- 385 24. Graham C (2008). Happiness and health: Lessons – and questions – for public policy.  
386 *Health Affairs* 27, 72-87.
- 387 25. Gardner MP, Wansink B, Kim J, Park SB (2011). Better moods for better eating? How  
388 mood influences food choice. *Journal of Consumer Psychology* 24, 320-335.

- 389 26. Tourangeau R, Rips LJ, Rasinski K (2000). *The psychology of survey response*. Cambridge  
390 University Press.
- 391 27. Blanchflower DG, Oswald AJ (2008). Is well-being U-shaped over the life cycle? *Social*  
392 *Science & Medicine* 66, 1733-1749.
- 393 28. Liker JK, Augustyniak S, Duncan GJ (1985). Panel data and models of change: A  
394 comparison of first difference and conventional two-wave models. *Social Science Research*  
395 14, 80-101.
- 396 29. Angrist JD, Imbens GW, Rubin DB (1996). Identification and causal effects using  
397 instrumental variables. *Journal of the American Statistical Society* 91(434), 444-455.
- 398 30. Young SN (2007). How to increase serotonin in the human brain without drugs. *Journal of*  
399 *Psychiatry and Neuroscience* 32, 394-399.
- 400 31. Botez MI, Young SN, Bachevalier, J, et al. (1979) Folate-deficiency and decreased 5-  
401 hydroxytryptamine synthesis in man and rat. *Nature* 278, 182-183.
- 402 32. Dinan TG, Cryan JF (2013). Melancholic microbes: a link between gut microbiota and  
403 depression? *Neurogastroenterology & Motility* 25, 713-719.
- 404 33. Boehm JK, Williams DR, Rimm EB, Ryff C, Kubzansky LD (2013). Association between  
405 optimism and serum antioxidants in the Midlife in the United States Study. *Psychosomatic*  
406 *Medicine* 75, 2-10.
- 407 34. Pomerleau J, Lock K, Knai C, et al. (2005). Interventions designed to increase adult fruit  
408 and vegetable intake can be effective: A systematic review of the literature. *Journal of*  
409 *Nutrition* 135, 2486-2495.
- 410 35. Watson N, Wooden M (2002). *The household, income and labour dynamics in Australia*  
411 *(Hilda) survey: Wave 1 survey methodology*, HILDA Project Technical Paper Series, No  
412 1/02, Melbourne Institute of Applied Economics and Social Research.
- 413

414

**Author Contributions**

415 Author contributions: RM had the idea for the study; RM and AJO designed the research; RM  
416 led the study and wrote up the first results; AJO made suggestions for changes; RM and AJO  
417 analyzed the data; both authors revised the draft. AJO wishes to record that the main credit for  
418 this work is due to RM.

419

420

**Declaration of Conflicting Interests**

421 The authors declare no conflict of interest.

422

423

**Acknowledgments**

424 This paper replaces an earlier draft by RM alone; the estimation methods, and results, in this  
425 paper differ from those in that older version. Helpful comments were received in a seminar at  
426 the London School of Economics. We also thank Kylie Ball, M Lynne Cooper, Paul Frijters,  
427 George Grimble, David W. Johnston, James Oswald, Ciara Rooney, Fiona Scott, Daniel Sgroi,  
428 and Simon Young for helpful ideas. All errors are our own. Financial support from the ESRC  
429 through the CAGE Centre at Warwick University is gratefully acknowledged. This paper uses  
430 unit record data from the Household, Income and Labour Dynamics in Australia (HILDA)  
431 Survey. The HILDA Project was initiated and is funded by the Australian Government  
432 Department of Social Services (DSS) and is managed by the Melbourne Institute of Applied  
433 Economic and Social Research (Melbourne Institute). The findings and views reported in this  
434 paper, however, are those of the authors and should not be attributed to either DSS or the  
435 Melbourne Institute.

436 **Table 1. Life Satisfaction Equations: Fixed-effects Regression Models of Changes in Life Satisfaction on**  
 437 **Changes in Fruit and Vegetable Consumption and Covariates.** Longitudinal Survey Data on 12,000 Adults,  
 438 HILDA Survey 2007 and 2009.  
 439

Independent variable	Model 1 (no covariates)		Model 2 (partial set of covariates)		Model 3 (full set of covariates)	
	$\beta$	$p$	$\beta$	$p$	$\beta$	$p$
Fruit and vegetable portions/day	0.03 [0.01, 0.04]	.002	0.03 [0.01, 0.04]	.003	0.02 [0.01, 0.04]	.010
Log of household income			0.02 [-0.03, 0.06]	.452	0.02 [-0.03, 0.06]	.476
Age			-0.01 [-0.05, 0.04]	.837	-0.01 [-0.06, 0.04]	.758
Age <sup>2</sup>			0.01 [-0.04, 0.05]	.766	0.01 [-0.04, 0.06]	.720
Masters or doctorate			-0.31 [-0.86, 0.24]	.271	-0.32 [-0.87, 0.23]	.256
Bachelor or honors			-0.07 [-0.48, 0.35]	.755	-0.05 [-0.46, 0.36]	.812
Graduate diploma or certificate			-0.18 [-0.51, 0.16]	.304	-0.17 [-0.51, 0.17]	.315
Advanced diploma			-0.09 [-0.46, 0.27]	.618	-0.10 [-0.47, 0.27]	.609
Professional qualification			-0.01 [-0.30, 0.28]	.944	-0.02 [-0.31, 0.27]	.894
Year 12 high school			-0.21 [-0.41, -0.01]	.036	-0.20 [-0.40, 0.00]	.045
Full-time student			-0.01 [-0.15, 0.13]	.894	0.00 [-0.15, 0.14]	.965
Unemployed			-0.21 [-0.43, 0.01]	.058	-0.22 [-0.44, 0.00]	.050
Not in the labor force			-0.02 [-0.13, 0.09]	.695	-0.04 [-0.15, 0.07]	.508
Married			-0.01 [-0.18, 0.16]	.917	-0.01 [-0.18, 0.16]	.895
Separated			-0.57 [-0.89, -0.26]	.000	-0.58 [-0.89, -0.26]	.000
Divorced			-0.32 [-0.63, -0.01]	.042	-0.33 [-0.64, -0.02]	.036
Widowed			-0.45 [-0.99, 0.09]	.099	-0.46 [-1.00, 0.08]	.097
Long-term health condition			-0.14 [-0.22, -0.07]	.000	-0.14 [-0.22, -0.07]	.000
# children under the age of 4			-0.01 [-0.10, 0.08]	.838	-0.01 [-0.09, 0.08]	.881
# children aged 5-14			0.06 [-0.02, 0.14]	.121	0.06 [-0.01, 0.14]	.108
Drink alcohol 1 or 2 days/week					0.02 [-0.09, 0.14]	.697
Drink alcohol 2 or 3 days/week					-0.01 [-0.11, 0.09]	.889
Drink alcohol 3 or 4 days/week					-0.03 [-0.17, 0.10]	.619
Drink alcohol 5 or 6 days/week					-0.04 [-0.20, 0.12]	.638
Drink alcohol everyday					-0.14 [-0.34, 0.06]	.159
Non-smoker					0.04 [-0.09, 0.17]	.532
Never eat red meat					0.20 [-0.16, 0.55]	.273
Never eat fish					-0.09 [-0.20, 0.02]	.107
Eat breakfast regularly					0.11 [0.03, 0.18]	.004
Drink low fat or skinny milk					-0.04 [-0.12, 0.04]	.316
Avoid fatty foods					-0.05 [-0.12, 0.01]	.105
BMI					0.01 [0.00, 0.01]	.115
Exercise regularly					0.09 [0.03, 0.14]	.002
Constant	7.81 [7.74, 7.88]	.000	7.90 [6.80, 9.00]	.000	7.75 [6.65, 8.85]	.000
Overall $R^2$	.02		.03		.03	
Number of individuals	12,385		12,385		12,385	
Number of observations	20,127		20,127		20,127	

440 Note: Values in parentheses are 95% confidence intervals. Dependent variable is *Life Satisfaction* [range: 0-10]. HILDA Survey data:  
 441 Australia. Further details of the data set are available in reference (35). With two waves of data, a fixed-effects estimator is equivalent  
 442 to a first-difference estimator; see, for example, reference 28.



443 **Table 2. Happiness Equations: Fixed-effects Regression Models of Changes in ‘Been a Happy Person’**  
 444 **on Changes in Fruit and Vegetable Consumption and Covariates.** Longitudinal Survey Data on 12,000  
 445 Adults, HILDA Survey 2007 and 2009.  
 446

Independent variable	Model 1 (no covariates)		Model 2 (partial set of covariates)		Model 3 (full set of covariates)	
	$\beta$	$p$	$\beta$	$p$	$\beta$	$p$
Fruit and vegetable portions/day	0.02 [0.01, 0.03]	.003	0.02 [0.01, 0.04]	.002	0.02 [0.003, 0.03]	.017
Log of household income			0.02 [-0.02, 0.05]	.369	0.02 [-0.02, 0.05]	.320
Constant	4.35 [4.30, 4.40]	.000	4.29 [3.40, 5.17]	.000	4.31 [3.42, 5.20]	.000
Other covariates included	No		Yes (a partial set)		Yes (a full set)	
Overall $R^2$	.02		.01		.03	
Number of individuals	12,360		12,360		12,360	
Number of observations	20,054		20,054		20,054	

447 Note: Values in parentheses are 95% confidence intervals. Dependent variable is *Been a Happy Person* [range: 1-6]. HILDA Survey  
 448 data: Australia. ‘Partial set’ and ‘Full set’ are as defined in columns 2 and 3, respectively, of Table 1. The full estimation results (with  
 449 a complete set of control variable coefficient estimates) are available in Table S1 in the Supplemental Material.


450  
451  
452**Table 3. Prospective Analyses of Life Satisfaction and Happiness on Lagged Fruit and Vegetable Consumption.** HILDA Survey 2007 (period  $t$ ) and 2009 (period  $t+1$ )

<i>Independent variable</i>	Life satisfaction $t+1$	Been a happy person $t+1$
	$\beta$	$\beta$
Fruit and vegetable portions/day $t$	0.03 [0.01, 0.04]	0.02 [0.01, 0.03]
Life satisfaction $t$	0.49 [0.47, 0.50]	
Been a happy person $t$		0.45 [0.43, 0.47]
Log of household income $t$	0.03 [0.00, 0.07]	0.03 [0.00, 0.05]
Constant	3.98 [3.55, 4.41]	2.36 [2.04, 2.68]
Full set of other covariates:	Yes	Yes
Adjusted $R^2$	.31	.26
Number of observations	7,742	7,694

453  
454  
455  
456  
457

Note: Values in parentheses are 95% confidence intervals. First dependent variable is *Life Satisfaction* [range: 0-10] in period  $t+1$  (year 2009). Second dependent variable is *Been a Happy Person* [range: 1-6] in period  $t+1$  (year 2009). Period  $t$  denotes the year 2007. The full estimation results (with a complete set of control variable coefficient estimates) are available in Tables S2 and S3 in the Supplemental Material. The table's title uses the term 'prospective' for simplicity; it would be possible to object to this on strict semantic grounds; we obtained the data after the Wave 2 information, on year 2009, had been collected.

458



459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490

**Fig. 1. Longitudinal changes in fruit and vegetable (F&V) consumption are positively correlated with longitudinal changes in satisfaction with life.** The vertical axis here measures life satisfaction; the horizontal axis measures daily F&V portions. The 0 on the horizontal axis denotes less than one portion of fruit and vegetables per day, 1 denotes higher than one portion but less than two portions per day, .. and 8 denotes eight-and-above portions a day. The sample size is 12,385 Australian individuals measured in years 2007 and 2009.

An equivalent diagram would hold symmetrically for reductions in F&V consumption (not drawn above).

This figure is not cross-sectional. It is derived from a fixed-effects regression equation with nine banded dummy variables for the above nine different levels of fruit and vegetable (F&V) daily consumption. Formal test statistics are presented in Table 1, which treats F&V as a continuous variable.

END OF MANUSCRIPT.....

SUPPLEMENTAL FILES: LATER MATERIAL IS FOR REFEREES ONLY AND/OR ONLINE PUBLICATION AS EXTRA INFORMATION FOR READERS.

491	
492	<b>Supplemental Files (For Referees or Online Publication Only)</b>
493	
494	
495	
496	
497	
498	
499	
500	<b>Tables S1-S8</b>
501	<b>Figures S1-S4</b>
502	<b>Tables S9-S15</b>

503 **Table S1 (Full Estimation Results for Table 2).** Happiness Equations: Fixed-effects Regression Models of  
 504 Changes in 'Been a Happy Person' on Changes in Fruit and Vegetable Consumption and Covariates, HILDA  
 505 Survey 2007 and 2009  
 506

Independent variable	Model 1 (no covariates)		Model 2 (partial set of covariates)		Model 3 (full set of covariates)	
	$\beta$	$p$	$\beta$	$p$	$\beta$	$p$
Fruit and vegetable portions/day	0.02 [0.01, 0.03]	.003	0.02 [0.01, 0.04]	.002	0.02 [0.003, 0.03]	.017
Log of household income			0.02 [-0.02, 0.05]	.369	0.02 [-0.02, 0.05]	.320
Age			-0.01 [-0.05, 0.03]	.736	0.00 [-0.04, 0.04]	.832
Age squared			0.01 [-0.03, 0.05]	.525	0.01 [-0.03, 0.05]	.571
Masters or doctorate			0.10 [-0.41, 0.61]	.697	0.15 [-0.35, 0.65]	.560
Bachelor or honors			-0.13 [-0.53, 0.26]	.507	-0.10 [-0.49, 0.29]	.614
Graduate diploma or certificate			-0.05 [-0.36, 0.27]	.778	-0.01 [-0.32, 0.30]	.942
Advanced diploma			-0.30 [-0.73, 0.13]	.173	-0.30 [-0.74, 0.15]	.190
Professional qualification			0.08 [-0.16, 0.32]	.493	0.08 [-0.16, 0.32]	.511
Year 12 high school			-0.04 [-0.23, 0.15]	.706	-0.01 [-0.20, 0.18]	.891
Full-time student			-0.03 [-0.16, 0.09]	.620	-0.03 [-0.15, 0.10]	.653
Unemployed			0.05 [-0.10, 0.19]	.528	0.05 [-0.10, 0.19]	.519
Not in the labor force			-0.10 [-0.19, -0.02]	.015	-0.11 [-0.19, -0.03]	.010
Married			-0.02 [-0.18, 0.14]	.808	-0.02 [-0.18, 0.14]	.805
Separated			-0.23 [-0.48, 0.03]	.083	-0.24 [-0.49, 0.02]	.069
Divorced			0.01 [-0.27, 0.29]	.942	-0.01 [-0.29, 0.27]	.958
Widowed			-0.14 [-0.47, 0.19]	.405	-0.15 [-0.48, 0.17]	.358
Long-term health condition			-0.07 [-0.13, -0.01]	.024	-0.06 [-0.12, 0.00]	.040
# children under the age of 4			0.03 [-0.03, 0.10]	.321	0.04 [-0.03, 0.11]	.233
# children aged 5-14			0.02 [-0.04, 0.08]	.460	0.03 [-0.03, 0.09]	.339
Drink alcohol 1 or 2 days/week					-0.05 [-0.14, 0.04]	.244
Drink alcohol 2 or 3 days/week					-0.02 [-0.10, 0.05]	.570
Drink alcohol 3 or 4 days/week					-0.07 [-0.17, 0.04]	.209
Drink alcohol 5 or 6 days/week					-0.04 [-0.16, 0.08]	.516
Drink alcohol everyday					0.03 [-0.12, 0.18]	.673
Non-smoker					0.01 [-0.09, 0.12]	.776
Never eat red meat					-0.02 [-0.27, 0.24]	.907
Never eat fish					0.05 [-0.04, 0.14]	.250
Eat breakfast regularly					0.12 [0.05, 0.18]	.000
Drink low fat or skinny milk					-0.01 [-0.07, 0.05]	.776
Avoid fatty foods					0.00 [-0.05, 0.05]	.935
BMI					-0.01 [-0.02, 0.00]	.009
Exercise regularly					0.14 [0.10, 0.19]	.000
Constant	4.35 [4.30, 4.40]	.000	4.29 [3.40, 5.17]	.000	4.31 [3.42, 5.20]	.000
Overall $R^2$	.02		.01		.03	
Number of individuals	12,360		12,360		12,360	
Number of observations	20,054		20,054		20,054	

Note: Values in parentheses are 95% confidence intervals. Dependent variable is *Been a Happy Person* [range: 1-6].

507  
 508  
 509  
 510  
 511  
 512  
 513

514 **Table S2 (Full Estimation Results for First Part of Table 3).** Prospective Analysis of Life Satisfaction:  
 515 Linear Regression Model of Life Satisfaction on Lagged Fruit and Vegetable Consumption and Covariates,  
 516 HILDA Survey 2007 (period  $t$ ) and 2009 (period  $t+1$ )  
 517

<i>Dependent variable: Life satisfaction</i> $t+1$			
Independent variable	$\beta$	$t$	$p$
Fruit and vegetable portions/day $t$	0.03 [0.01, 0.04]	3.82	.000
Life satisfaction $t$	0.48 [0.47, 0.50]	49.31	.000
Log of household income $t$	0.03 [0.00, 0.07]	1.78	.075
Age $t$	-0.02 [-0.03, -0.01]	3.16	.002
Age squared $t$	0.02 [0.01, 0.03]	3.87	.000
Male $t$	0.01 [-0.05, 0.06]	0.20	.845
Masters or doctorate $t$	-0.13 [-0.27, 0.01]	1.77	.077
Bachelor or honors $t$	-0.08 [-0.20, 0.04]	1.38	.169
Graduate diploma or certificate $t$	-0.06 [-0.14, 0.03]	1.21	.225
Advanced diploma $t$	-0.12 [-0.21, -0.02]	2.36	.018
Professional qualification $t$	-0.06 [-0.13, 0.02]	1.47	.142
Year 12 high school $t$	-0.08 [-0.16, 0.00]	1.86	.063
Full-time student $t$	0.12 [-0.01, 0.25]	1.75	.080
Unemployed $t$	0.03 [-0.15, 0.21]	0.32	.749
Not in the labor force $t$	-0.03 [-0.11, 0.05]	0.83	.409
Married $t$	0.13 [0.05, 0.21]	3.11	.002
Separated $t$	-0.11 [-0.27, 0.05]	1.36	.175
Divorced $t$	-0.01 [-0.12, 0.10]	0.15	.881
Widowed $t$	0.26 [0.10, 0.41]	3.22	.001
Long-term health condition $t$	-0.21 [-0.28, -0.15]	6.28	.000
# children under the age of 4 $t$	0.01 [-0.05, 0.07]	0.34	.732
# children aged 5-14 $t$	-0.03 [-0.07, 0.01]	1.65	.099
Drink alcohol 1 or 2 days/ week $t$	0.02 [-0.06, 0.09]	0.43	.665
Drink alcohol 2 or 3 days/ week $t$	0.06 [-0.03, 0.14]	1.29	.196
Drink alcohol 3 or 4 days/ week $t$	0.04 [-0.04, 0.12]	0.96	.336
Drink alcohol 5 or 6 days/ week $t$	0.03 [-0.07, 0.13]	0.63	.529
Drink alcohol everyday $t$	0.04 [-0.06, 0.14]	0.76	.448
Non-smoker $t$	0.08 [0.01, 0.15]	2.19	.029
Never eat red meat $t$	-0.13 [-0.28, 0.03]	1.54	.123
Never eat fish $t$	0.02 [-0.07, 0.11]	0.43	.665
Eat breakfast regularly $t$	0.03 [-0.04, 0.09]	0.85	.397
Drink low fat or skinny milk $t$	0.05 [-0.01, 0.10]	1.75	.080
Avoid fatty foods $t$	0.05 [-0.01, 0.11]	1.65	.098
BMI $t$	-0.01 [-0.01, 0.00]	2.79	.005
Exercise regularly $t$	0.06 [0.01, 0.11]	2.29	.022
Constant	3.98 [3.55, 4.41]	18.34	.000
Adjusted $R^2$	.31		
Number of observations	7,742		

Note: Values in parentheses are 95% confidence intervals. Dependent variable is *Life Satisfaction* [range: 0-10] in period  $t+1$  (year 2009).

518  
 519  
 520  
 521  
 522  
 523

524  
525  
526  
527**Table S3 (Full Estimation Results for Second Part of Table 3).** Prospective Analysis of Happiness: Linear Regression Model of 'Been a Happy Person' on Lagged Fruit and Vegetable Consumption and Covariates, HILDA Survey 2007 (period  $t$ ) and 2009 (period  $t+1$ )

<i>Dependent variable: Been a happy person</i> $t+1$			
Independent variable	$\beta$	$t$	$p$
Fruit and vegetable portions/day $t$	0.02 [0.01, 0.03]	3.97	.000
Been a happy person $t$	0.45 [0.43, 0.47]	44.26	.000
Log of household income $t$	0.03 [0.00, 0.05]	1.84	.066
Age $t$	-0.01 [-0.02, 0.00]	2.93	.003
Age squared $t$	0.01 [0.00, 0.02]	2.87	.004
Male $t$	0.01 [-0.04, 0.05]	0.23	.822
Masters or doctorate $t$	-0.01 [-0.12, 0.10]	0.21	.833
Bachelor or honors $t$	-0.03 [-0.13, 0.06]	0.65	.514
Graduate diploma or certificate $t$	-0.02 [-0.09, 0.05]	0.57	.569
Advanced diploma $t$	0.00 [-0.08, 0.07]	0.08	.936
Professional qualification $t$	-0.04 [-0.10, 0.02]	1.35	.176
Year 12 high school $t$	-0.02 [-0.09, 0.05]	0.58	.560
Full-time student $t$	-0.02 [-0.12, 0.08]	0.32	.745
Unemployed $t$	-0.21 [-0.35, -0.07]	2.87	.004
Not in the labor force $t$	-0.02 [-0.08, 0.04]	0.56	.572
Married $t$	0.10 [0.03, 0.16]	2.87	.004
Separated $t$	0.09 [-0.03, 0.22]	1.41	.157
Divorced $t$	0.09 [0.00, 0.18]	1.96	.050
Widowed $t$	0.31 [0.19, 0.43]	4.97	.000
Long-term health condition $t$	-0.24 [-0.29, -0.19]	8.96	.000
# children under the age of 4 $t$	-0.03 [-0.08, 0.01]	1.39	.165
# children aged 5-14 $t$	-0.03 [-0.06, 0.00]	1.93	.054
Drink alcohol 1 or 2 days/ week $t$	0.11 [0.05, 0.17]	3.71	.000
Drink alcohol 2 or 3 days/ week $t$	0.04 [-0.02, 0.11]	1.27	.206
Drink alcohol 3 or 4 days/ week $t$	0.06 [0.00, 0.12]	1.83	.067
Drink alcohol 5 or 6 days/ week $t$	0.13 [0.05, 0.20]	3.25	.001
Drink alcohol everyday $t$	0.03 [-0.05, 0.11]	0.72	.473
Non-smoker $t$	0.03 [-0.02, 0.09]	1.23	.217
Never eat red meat $t$	-0.01 [-0.13, 0.12]	0.13	.899
Never eat fish $t$	-0.03 [-0.10, 0.04]	0.77	.441
Eat breakfast regularly $t$	0.02 [-0.03, 0.07]	0.65	.516
Drink low fat or skinny milk $t$	-0.01 [-0.05, 0.03]	0.52	.604
Avoid fatty foods $t$	0.03 [-0.02, 0.08]	1.08	.279
BMI $t$	0.00 [-0.01, 0.00]	1.78	.074
Exercise regularly $t$	0.06 [0.01, 0.10]	2.66	.008
Constant	2.36 [2.04, 2.68]	14.40	.000
Adjusted $R^2$		.26	
Number of observations		7,694	

Note: Values in parentheses are 95% confidence intervals. Dependent variable is *Been a Happy Person* [range: 1-6] in period  $t+1$  (year 2009).

528  
529  
530

531  
532**Table S4. Granger Causality Test: Linear Regression Model of Fruit and Vegetable Consumption on Lagged Life Satisfaction and Covariates, HILDA Survey 2007 (period  $t$ ) and 2009 (period  $t+1$ )**

<i>Dependent variable: Fruit and vegetable consumption <math>t+1</math></i>			
Independent variable	$\beta$	$t$	$p$
Life satisfaction $t$	-0.003 [-0.03, 0.02]	0.22	.827
Fruit and vegetable portions/day $t$	0.55 [0.53, 0.57]	57.23	.000
Log of household income $t$	0.01 [-0.04, 0.06]	0.33	.739
Age $t$	0.02 [0.01, 0.04]	3.11	.002
Age squared $t$	-0.01 [-0.03, 0.00]	1.37	.170
Male $t$	-0.16 [-0.24, -0.09]	4.16	.000
Masters or doctorate $t$	0.20 [0.01, 0.39]	2.07	.038
Bachelor or honors $t$	0.29 [0.13, 0.46]	3.54	.000
Graduate diploma or certificate $t$	0.19 [0.07, 0.31]	3.02	.003
Advanced diploma $t$	0.19 [0.06, 0.32]	2.79	.005
Professional qualification $t$	0.15 [0.05, 0.25]	2.87	.004
Year 12 high school $t$	0.12 [0.00, 0.23]	2.02	.043
Full-time student $t$	0.27 [0.10, 0.45]	3.06	.002
Unemployed $t$	0.01 [-0.23, 0.26]	0.08	.934
Not in the labor force $t$	-0.03 [-0.13, 0.08]	0.54	.591
Married $t$	0.04 [-0.07, 0.15]	0.67	.500
Separated $t$	-0.18 [-0.40, 0.04]	1.61	.107
Divorced $t$	-0.10 [-0.25, 0.06]	1.24	.216
Widowed $t$	-0.12 [-0.33, 0.09]	1.13	.259
Long-term health condition $t$	0.02 [-0.07, 0.11]	0.52	.605
# children under the age of 4 $t$	-0.04 [-0.11, 0.04]	0.92	.360
# children aged 5-14 $t$	-0.02 [-0.07, 0.04]	0.61	.541
Drink alcohol 1 or 2 days/week $t$	-0.02 [-0.12, 0.09]	0.29	.769
Drink alcohol 2 or 3 days/week $t$	-0.02 [-0.14, 0.10]	0.29	.772
Drink alcohol 3 or 4 days/week $t$	0.01 [-0.10, 0.12]	0.25	.806
Drink alcohol 5 or 6 days/week $t$	0.05 [-0.08, 0.18]	0.70	.484
Drink alcohol everyday $t$	0.03 [-0.11, 0.17]	0.42	.678
Non-smoker $t$	0.25 [0.16, 0.35]	5.20	.000
Never eat red meat $t$	0.09 [-0.13, 0.30]	0.81	.419
Never eat fish $t$	-0.19 [-0.31, -0.07]	3.10	.002
Eat breakfast regularly $t$	0.19 [0.10, 0.27]	4.31	.000
Drink low fat or skinny milk $t$	0.01 [-0.06, 0.08]	0.31	.758
Avoid fatty foods $t$	0.15 [0.06, 0.23]	3.48	.001
BMI $t$	0.00 [-0.01, 0.01]	0.06	.951
Exercise regularly $t$	0.21 [0.13, 0.28]	5.63	.000
Constant	0.40 [-0.18, 0.97]	1.35	.177
Adjusted $R^2$		.42	
Number of observations		7,742	

533  
534  
535  
536  
537  
538  
539

Note: Values in parentheses are 95% confidence intervals. Dependent variable is *Fruit and Vegetable Consumption* (portions per day) in period  $t+1$  (year 2009). It should be noted that Granger causality examines how an outcome variable of interest is correlated with lagged values of the same variable (from previous periods) as well as lagged values of other explanatory variables. This method is analogous to prospective analysis, but is not equivalent to identifying the true causal effect of one variable on another (where, for example, a change in the variable  $X$  strictly leads to a change in the variable  $Y$ ).



540  
541**Table S5. Granger Causality Test: Linear Regression Model of Fruit and Vegetable Consumption on Lagged 'Been a Happy Person' and Covariates, HILDA Survey 2007 (period  $t$ ) and 2009 (period  $t+1$ )**

<i>Dependent variable: Fruit and vegetable consumption <math>t+1</math></i>			
Independent variable	$\beta$	$t$	$p$
Been a happy person $t$	0.03 [-0.01, 0.06]	1.63	.104
Fruit and vegetable portions/day $t$	0.55 [0.53, 0.57]	56.72	.000
Log of household income $t$	0.01 [-0.04, 0.05]	0.22	.826
Age $t$	0.02 [0.01, 0.04]	3.29	.001
Age squared $t$	-0.01 [-0.03, 0.00]	1.61	.108
Male $t$	-0.17 [-0.24, -0.09]	4.20	.000
Masters or doctorate $t$	0.21 [0.02, 0.40]	2.17	.030
Bachelor or honors $t$	0.30 [0.14, 0.47]	3.66	.000
Graduate diploma or certificate $t$	0.20 [0.08, 0.32]	3.18	.001
Advanced diploma $t$	0.19 [0.06, 0.32]	2.81	.005
Professional qualification $t$	0.16 [0.05, 0.26]	2.99	.003
Year 12 high school $t$	0.12 [0.01, 0.24]	2.07	.039
Full-time student $t$	0.27 [0.10, 0.45]	3.06	.002
Unemployed $t$	0.03 [-0.22, 0.27]	0.23	.822
Not in the labor force $t$	-0.02 [-0.13, 0.08]	0.46	.644
Married $t$	0.05 [-0.06, 0.16]	0.88	.379
Separated $t$	-0.17 [-0.39, 0.05]	1.53	.126
Divorced $t$	-0.09 [-0.24, 0.06]	1.17	.242
Widowed $t$	-0.10 [-0.31, 0.11]	0.95	.344
Long-term health condition $t$	0.04 [-0.05, 0.14]	0.97	.333
# children under the age of 4 $t$	-0.04 [-0.12, 0.04]	0.98	.325
# children aged 5-14 $t$	-0.02 [-0.07, 0.04]	0.62	.534
Drink alcohol 1 or 2 days/ week $t$	-0.01 [-0.12, 0.09]	0.27	.787
Drink alcohol 2 or 3 days/week $t$	-0.01 [-0.13, 0.11]	0.21	.831
Drink alcohol 3 or 4 days/ week $t$	0.01 [-0.10, 0.12]	0.19	.849
Drink alcohol 5 or 6 days/ week $t$	0.04 [-0.09, 0.17]	0.62	.533
Drink alcohol everyday $t$	0.02 [-0.11, 0.16]	0.33	.740
Non-smoker $t$	0.24 [0.15, 0.34]	4.97	.000
Never eat red meat $t$	0.10 [-0.12, 0.31]	0.87	.386
Never eat fish $t$	-0.20 [-0.32, -0.08]	3.27	.001
Eat breakfast regularly $t$	0.18 [0.10, 0.27]	4.19	.000
Drink low fat or skinny milk $t$	0.01 [-0.06, 0.08]	0.25	.801
Avoid fatty foods $t$	0.15 [0.07, 0.23]	3.49	.000
BMI $t$	0.00 [-0.01, 0.01]	0.05	.957
Exercise regularly $t$	0.20 [0.13, 0.28]	5.50	.000
Constant	0.27 [-0.29, 0.82]	0.93	.350
Adjusted $R^2$		.42	
Number of observations		7,694	

542  
543  
544  
545  
546

Note: Values in parentheses are 95% confidence intervals. Dependent variable is *Fruit and Vegetable Consumption* (portions per day) in period  $t+1$  (year 2009). It should be noted that Granger causality examines how an outcome variable of interest is correlated with lagged values of the same variable (from previous periods) as well as lagged values of other explanatory variables. This method is analogous to prospective analysis, but is not equivalent to identifying the true causal effect of one variable on another (where, for example, a change in the variable  $X$  strictly leads to a change in the variable  $Y$ ).

547 **Table S6. Life Satisfaction Equation Robustness Test: Fixed-effects Regression Model of Changes in Life**  
 548 **Satisfaction on Changes in Fruit and Vegetable Consumption and Covariates (including Self-reported**  
 549 **Health), HILDA Survey 2007 and 2009**  
 550

<i>Dependent variable: Life Satisfaction</i>			
Independent variable	$\beta$	<i>t</i>	<i>p</i>
Fruit and vegetable portions/day	0.02 [0.01, 0.03]	1.99	.047
Self-reported health	0.29 [0.25, 0.34]	12.22	.000
Log of household income	0.02 [-0.03, 0.06]	0.72	.468
Age	-0.03 [-0.07, 0.02]	-1.01	.314
Age squared	0.02 [-0.02, 0.07]	1.00	.318
Masters or doctorate	-0.22 [-0.78, 0.33]	-0.79	.428
Bachelor or honors	0.10 [-0.32, 0.52]	0.49	.627
Graduate diploma or certificate	-0.05 [-0.39, 0.29]	-0.29	.770
Advanced diploma	-0.01 [-0.40, 0.37]	-0.08	.939
Professional qualification	0.02 [-0.26, 0.30]	0.13	.896
Year 12 high school	-0.12 [-0.31, 0.08]	-1.19	.236
Full-time student	-0.01 [-0.16, 0.13]	-0.16	.872
Unemployed	-0.24 [-0.46, -0.02]	-2.11	.035
Not in the labor force	-0.03 [-0.14, 0.08]	-0.48	.632
Married	0.01 [-0.16, 0.17]	0.09	.930
Separated	-0.55 [-0.86, -0.23]	-3.40	.001
Divorced	-0.35 [-0.66, -0.04]	-2.22	.026
Widowed	-0.54 [-1.09, 0.02]	-1.88	.060
Long-term health condition	-0.09 [-0.16, -0.02]	-2.38	.017
# children under the age of 4	0.01 [-0.08, 0.09]	0.13	.895
# children aged 5-14	0.07 [-0.01, 0.15]	1.61	.107
Drink alcohol 1 or 2 days/week	0.00 [-0.12, 0.11]	-0.06	.953
Drink alcohol 2 or 3 days/week	-0.01 [-0.11, 0.08]	-0.26	.794
Drink alcohol 3 or 4 days/week	-0.05 [-0.18, 0.09]	-0.67	.500
Drink alcohol 5 or 6 days/week	-0.06 [-0.22, 0.10]	-0.76	.450
Drink alcohol everyday	-0.17 [-0.37, 0.03]	-1.67	.095
Non-smoker	0.04 [-0.09, 0.16]	0.61	.541
Never eat red meat	0.17 [-0.18, 0.52]	0.94	.346
Never eat fish	-0.08 [-0.18, 0.03]	-1.37	.171
Eat breakfast regularly	0.10 [0.02, 0.17]	2.54	.011
Drink low fat or skinny milk	-0.04 [-0.11, 0.04]	-0.97	.332
Avoid fatty foods	-0.05 [-0.12, 0.01]	-1.54	.124
BMI	0.01 [0.00, 0.02]	2.12	.034
Exercise regularly	0.05 [-0.01, 0.10]	1.72	.086
Constant	7.09 [5.99, 8.20]	12.57	.000
Overall $R^2$		.09	
Number of individuals		12,288	
Number of observations		19,778	

551 Note: Values in parentheses are 95% confidence intervals. Dependent variable is *Life Satisfaction* [range: 0-10]. For the self-  
 552 reported health measure (covariate), individuals in the HILDA Survey were asked: "In general, would you say your health is:  
 553 *Excellent, Very Good, Good, Fair, or Poor*". The resulting response distribution was as follows: 3% (Poor); 12.8% (Fair); 35.2%  
 554 (Good); 36.8% (Very Good); 12.1% (Excellent). In the analysis above, these individual responses are coded from 1 (Poor) to 5  
 555 (Excellent), with the average reported score being 3.42 out of 5.  
 556

557  
558  
559**Table S7. Description of Demographic and Socioeconomic Covariates**

Variable	Description	Mean	SD	Min	Max
Age	Years of age	45.16	17.89	15	93
Age squared	Years of age squared, divided by 100	23.59	17.37	2.25	86.49
Income	Log of equivalized household income	10.15	1.02	0	13.01
Male		0.47	0.50	0	1
Full-time student		0.07	0.26	0	1
Education dummy 1	Masters or doctorate	0.04	0.19	0	1
Education dummy 2	Bachelor or honors	0.14	0.34	0	1
Education dummy 3	Grad diploma, grad certificate	0.06	0.23	0	1
Education dummy 4	Advanced diploma, diploma	0.09	0.29	0	1
Education dummy 5	Professional qualification (any certificate I, II, III, IV)	0.22	0.41	0	1
Education dummy 6	Year 12	0.15	0.36	0	1
Education dummy 7	Year 11 and below (baseline category)	0.30	0.46	0	1
Employment status 1	Unemployed	0.03	0.16	0	1
Employment status 2	Not in the labor force	0.30	0.46	0	1
Employment status 3	Employed (baseline category)	0.68	0.47	0	1
Married		0.51	0.50	0	1
Separated		0.03	0.18	0	1
Divorced		0.10	0.29	0	1
Widowed		0.05	0.22	0	1
Long-term health issues	Have a long-term health condition, disability or impairment	0.23	0.42	0	1
Number of children 1	Number of children under the age of 4	0.16	0.48	0	4
Number of children 2	Number of children aged 5-14	0.31	0.71	0	6

560

561 **Table S8. Description of Dietary and Lifestyle Covariates**  
 562

Variable	Description	Mean	SD	Min	Max
Daily fruit intake	Average number of fruit serves based on weekly intake	1.42	1.15	0	≥5
Daily vegetable intake	Average number of vegetable serves based on weekly intake	2.43	1.34	0	≥5
Weekly fruit intake frequency	Number of days in a usual week that fruit is eaten	5.31	2.17	0	7
Weekly vegetable intake frequency	Number of days in a usual week that vegetables are eaten	5.75	1.55	0	7
Usual fruit intake quantity	On those days, number of fruit serves eaten	1.79	1.07	0	≥5
Usual vegetable intake quantity	On those days, number of vegetable serves eaten	2.89	1.28	0	≥5
Alcohol intake 1	Drink alcohol: never, no longer, or rarely	0.38	0.48	0	1
Alcohol intake 2	Drink alcohol 1 or 2 days per week	0.20	0.40	0	1
Alcohol intake 3	Drink alcohol 2 or 3 days per week	0.12	0.32	0	1
Alcohol intake 4	Drink alcohol 3 or 4 days per week	0.14	0.35	0	1
Alcohol intake 5	Drink alcohol 5 or 6 days per week	0.09	0.29	0	1
Alcohol intake 6	Drink alcohol everyday	0.08	0.27	0	1
Non-smoker	Do not smoke cigarettes at all	0.80	0.40	0	1
Eat breakfast regularly	Eat breakfast seven times a week	0.70	0.46	0	1
Low fat/skim milk	Drink low fat or skinny milk	0.49	0.50	0	1
Avoid fatty foods	Eat fried potatoes, French fries, hot chips or wedges less than once a month	0.26	0.44	0	1
No fish intake	Never eat fresh, frozen, tinned fish, or shellfish	0.11	0.31	0	1
No meat intake	Never eat red meat (beef, veal, lamb, pork)	0.03	0.17	0	1
Regular physical exercise	Exercise at least three times a week per week; moderately to intensively	0.51	0.50	0	1
BMI	Body Mass Index	26.59	5.66	9.6	85.3

563 Note: Average *Daily fruit intake* = (*Weekly fruit intake frequency* × *Usual fruit intake quantity*) divided by 7 days. Similarly, average  
 564 *Daily vegetable intake* = (*Weekly vegetable intake frequency* × *Usual vegetable intake quantity*) divided by 7 days. The *Weekly*  
 565 *intake frequency* and *Usual intake quantity* variables correspond to the fruit and vegetable intake ‘frequency’ and ‘quantity’ survey  
 566 questions presented in the Methods section. A standard serve (or portion) of fruit is 150 grams. A standard serve of vegetables is 75  
 567 grams.  
 568

569 **Supplemental Figures:**


570 These are derived from change-on-change regression equations.

571

572

573

574




575

576

577 **Fig. S1.** Scatter plot of change in fruit-and-vegetable consumption and change in satisfaction with life. To derive  
 578 this scatter plot, we generate fractional changes (such as -0.3 change in fruit and vegetable consumption) in  
 579 portions consumed between the two periods due to the fruit-and-vegetable intake variable being the average daily  
 580 amount of fruit and vegetables consumed (derived from the total weekly amount - this is how the questions in the  
 581 HILDA Survey are asked). Hence, the F+V variable (and its changes between the two periods) does not take on  
 582 a whole number (portion) for some individuals due to the averaging performed to get from the weekly to average  
 583 daily amounts. To get rid of the ensuing tens of thousands data points, we used the Stata command (called  
 584 'binscatter') that bands the points and produces a line of best fit.


585  
586



587  
588  
589  
590  
591  
592  
593  
594  
595  
596

**Fig. S2.** Scatter plot of change in fruit-and-vegetable consumption and change in happiness. To derive this scatter plot, we generate fractional changes (such as -0.3 change in fruit and vegetable consumption) in portions consumed between the two periods due to the fruit-and-vegetable intake variable being the average daily amount of fruit and vegetables consumed (derived from the total weekly amount - this is how the questions in the HILDA Survey are asked). Hence, the F+V variable (and its changes between the two periods) does not take on a whole number (portion) for some individuals due to the averaging performed to get from the weekly to average daily amounts. To get rid of the ensuing tens of thousands data points, we used the Stata command (called 'binscatter') that bands the points and produces a line of best fit.







597



598

599

**Fig. S3.** Vegetable servings size (Showcard K25, HILDA Survey, Waves 7 and 9)

**SHOWCARD K27**

**Photos on this card are examples only**

**If you eat twice as many grapes as shown in the picture above each day, then your number of serves = 2**

**Fig. S4.** Fruit servings size (Showcard K27, HILDA Survey, Waves 7 and 9)



### Further Supplemental Appendix: The Results Re-Estimated On New Data From 2009-2013, and Instrumental-Variable Estimation.

**Table S9. (Table 1 Redone on Further Data). Life Satisfaction Equations: Fixed-effects Regression Models of Changes in Life Satisfaction on Changes in Fruit and Vegetable Consumption and Covariates, HILDA Survey 2009 and 2013**

Independent variable	Model 1 (no covariates)		Model 2 (partial set of covariates)		Model 3 (full set of covariates)	
	$\beta$	$p$	$\beta$	$p$	$\beta$	$p$
Fruit and vegetable portions/day	0.04 [0.02, 0.06]	.000	0.04 [0.03, 0.06]	.000	0.04 [0.02, 0.05]	.000
Log of household income			0.01 [-0.03, 0.05]	.682	0.01 [-0.03, 0.05]	.596
Age			-0.02 [-0.05, 0.00]	.082	-0.03 [-0.05, 0.00]	.050
Age <sup>2</sup>			0.02 [-0.01, 0.04]	.165	0.02 [0.00, 0.05]	.108
Masters or doctorate			0.04 [-0.30, 0.38]	.810	0.04 [-0.30, 0.38]	.816
Bachelor or honors			-0.14 [-0.49, 0.22]	.444	-0.15 [-0.50, 0.20]	.411
Graduate diploma or certificate			-0.06 [-0.31, 0.19]	.647	-0.06 [-0.31, 0.19]	.643
Advanced diploma			0.10 [-0.14, 0.35]	.421	0.11 [-0.13, 0.35]	.372
Professional qualification			-0.13 [-0.34, 0.08]	.237	-0.12 [-0.33, 0.09]	.254
Year 12 high school			-0.09 [-0.26, 0.07]	.268	-0.07 [-0.24, 0.09]	.396
Full-time student			0.01 [-0.12, 0.14]	.876	0.01 [-0.12, 0.14]	.836
Unemployed			-0.22 [-0.40, -0.04]	.018	-0.22 [-0.40, -0.05]	.014
Not in the labor force			-0.05 [-0.13, 0.04]	.318	-0.05 [-0.14, 0.04]	.276
Married			0.05 [-0.09, 0.19]	.452	0.04 [-0.10, 0.18]	.568
Separated			-0.48 [-0.74, -0.23]	.000	-0.51 [-0.76, -0.26]	.000
Divorced			0.14 [-0.12, 0.40]	.293	0.12 [-0.14, 0.38]	.359
Widowed			0.04 [-0.26, 0.33]	.808	0.02 [-0.27, 0.32]	.875
Long-term health condition			-0.22 [-0.30, -0.15]	.000	-0.22 [-0.30, -0.15]	.000
# children under the age of 4			-0.08 [-0.14, -0.02]	.008	-0.07 [-0.13, -0.02]	.013
# children aged 5-14			-0.04 [-0.09, 0.01]	.142	-0.04 [-0.09, 0.01]	.138
Drink alcohol 1 or 2 days/week					-0.05 [-0.14, 0.05]	.321
Drink alcohol 2 or 3 days/week					-0.03 [-0.12, 0.07]	.579
Drink alcohol 3 or 4 days/week					-0.04 [-0.16, 0.07]	.478
Drink alcohol 5 or 6 days/week					-0.12 [-0.26, 0.02]	.097
Drink alcohol everyday					-0.11 [-0.27, 0.05]	.190
Non-smoker					0.03 [-0.08, 0.14]	.639
Never eat red meat					0.03 [-0.25, 0.32]	.829
Never eat fish					-0.08 [-0.19, 0.02]	.130
Eat breakfast regularly					0.13 [0.06, 0.20]	.001
Drink low fat or skinny milk					0.03 [-0.03, 0.09]	.332
Avoid fatty foods					0.01 [-0.05, 0.07]	.817
BMI					0.00 [-0.01, 0.01]	.773
Exercise regularly					0.15 [0.09, 0.20]	.000
Constant	7.76 [7.70, 7.83]	.000	8.41 [7.79, 9.04]	.000	8.38 [7.72, 9.04]	.000
Overall $R^2$	.02		.03		.04	
Number of individuals	16,242		16,242		16,242	
Number of observations	23,985		23,985		23,985	

Note: Values in parentheses are 95% confidence intervals. Dependent variable is *Life Satisfaction* [range: 0-10].

**Table S10. (Table 2 Redone on Further Data) Happiness Equations: Fixed-effects Regression Models of Changes in ‘Been a Happy Person’ on Changes in Fruit and Vegetable Consumption and Covariates, HILDA Survey Data 2009 and 2013**

Independent variable	Model 1 (no covariates)		Model 2 (partial set of covariates)		Model 3 (full set of covariates)	
	$\beta$	$p$	$\beta$	$p$	$\beta$	$p$
Fruit and vegetable portions/day	0.02 [0.01, 0.04]	.000	0.02 [0.01, 0.04]	.001	0.02 [0.01, 0.03]	.006
Log of household income			-0.01 [-0.03, 0.03]	.790	-0.01 [-0.03, 0.03]	.823
Other covariates included	No		Partial		Full	
Constant	4.33 [4.28, 4.38]	.000	5.04 [4.53, 5.56]	.000	5.06 [4.51, 5.60]	.000
Overall $R^2$	.01		.01		.02	
Number of individuals	16,206		16,206		16,206	
Number of observations	23,917		23,917		23,917	

Note: Values in parentheses are 95% confidence intervals. Dependent variable is *Been a Happy Person* [range: 1-6].

**Table S11. (Full Version of Table S10). Happiness Equations: Fixed-effects Regression Models of Changes in ‘Been a Happy Person’ on Changes in Fruit and Vegetable Consumption and Covariates, HILDA Survey 2009 and 2013**

Independent variable	Model 1 (no covariates)		Model 2 (partial set of covariates)		Model 3 (full set of covariates)	
	$\beta$	$p$	$\beta$	$p$	$\beta$	$p$
Fruit and vegetable portions/day	0.02 [0.01, 0.04]	.000	0.02 [0.01, 0.04]	.001	0.02 [0.01, 0.03]	.006
Log of household income			-0.01 [-0.03, 0.03]	.790	-0.01 [-0.03, 0.03]	.823
Age			-0.02 [-0.04, 0.00]	.068	-0.02 [-0.04, 0.00]	.039
Age squared			0.01 [-0.01, 0.03]	.318	0.01 [-0.01, 0.03]	.205
Masters or doctorate			0.13 [-0.16, 0.42]	.374	0.14 [-0.15, 0.43]	.356
Bachelor or honors			0.00 [-0.27, 0.28]	.985	0.00 [-0.28, 0.28]	.994
Graduate diploma or certificate			0.14 [-0.08, 0.35]	.212	0.14 [-0.08, 0.36]	.219
Advanced diploma			0.13 [-0.10, 0.37]	.262	0.14 [-0.10, 0.37]	.253
Professional qualification			0.07 [-0.10, 0.25]	.422	0.07 [-0.11, 0.25]	.441
Year 12 high school			0.01 [-0.14, 0.15]	.912	0.02 [-0.13, 0.17]	.789
Full-time student			0.09 [-0.03, 0.20]	.154	0.09 [-0.03, 0.21]	.141
Unemployed			0.01 [-0.13, 0.16]	.854	0.01 [-0.14, 0.15]	.899
Not in the labor force			-0.10 [-0.17, -0.03]	.004	-0.11 [-0.18, -0.04]	.003
Married			0.00 [-0.12, 0.11]	.970	0.00 [-0.12, 0.11]	.951
Separated			-0.09 [-0.28, 0.11]	.393	-0.10 [-0.30, 0.09]	.300
Divorced			0.14 [-0.05, 0.34]	.155	0.14 [-0.06, 0.33]	.172
Widowed			0.00 [-0.28, 0.29]	.973	0.00 [-0.28, 0.29]	.989
Long-term health condition			-0.17 [-0.23, -0.11]	.000	-0.17 [-0.23, -0.11]	.000
# children under the age of 4			0.00 [-0.05, 0.05]	.969	0.00 [-0.04, 0.05]	.860
# children aged 5-14			-0.01 [-0.06, 0.03]	.647	-0.01 [-0.06, 0.03]	.648
Drink alcohol 1 or 2 days/week					-0.02 [-0.10, 0.06]	.607
Drink alcohol 2 or 3 days/week					0.02 [-0.05, 0.09]	.598
Drink alcohol 3 or 4 days/week					-0.06 [-0.15, 0.04]	.231
Drink alcohol 5 or 6 days/week					-0.08 [-0.19, 0.03]	.135
Drink alcohol everyday					-0.04 [-0.17, 0.09]	.549
Non-smoker					-0.04 [-0.13, 0.06]	.415
Never eat red meat					0.14 [-0.09, 0.38]	.232
Never eat fish					-0.03 [-0.12, 0.05]	.427
Eat breakfast regularly					0.04 [-0.02, 0.10]	.156
Drink low fat or skinny milk					0.00 [-0.05, 0.05]	.921
Avoid fatty foods					0.03 [-0.02, 0.09]	.190
BMI					0.00 [-0.01, 0.01]	.991
Exercise regularly					0.14 [0.09, 0.18]	.000
Constant	4.33 [4.28, 4.38]	.000	5.04 [4.53, 5.56]	.000	5.06 [4.51, 5.60]	.000
Overall $R^2$	.01		.01		.02	
Number of individuals	16,206		16,206		16,206	
Number of observations	23,917		23,917		23,917	

Note: Values in parentheses are 95% confidence intervals. Dependent variable is *Been a Happy Person* [range: 1-6].

**Table S.12. Additional Life Satisfaction Equations: Instrumental-Variables Regression Models of ‘Life Satisfaction’ using ‘Intensity of Go for 2&5 Campaign’ as an Instrument for ‘Fruit and Vegetable Consumption’, HILDA Survey 2013**

Independent variable	Model 1 (no covariates)		Model 2 (partial set of covariates)		Model 3 (full set of covariates)	
	$\beta$	$p$	$\beta$	$p$	$\beta$	$p$
Fruit and vegetable portions/day	0.10 [-0.93, 1.13]	.852	0.33 [-0.26, 0.92]	.276	0.31 [-0.24, 0.85]	.270
Log of household income			0.02 [-0.01, 0.05]	.165	0.02 [-0.01, 0.05]	.248
Other covariates included	No		Partial		Full	
Constant	7.56 [3.73, 11.39]	.000	7.83 [5.76, 9.90]	.000	7.88 [6.46, 9.30]	.000
Number of observations	13,788		13,788		13,788	

Note: Values in parentheses are 95% confidence intervals. Dependent variable is *Life Satisfaction* [range: 0-10]. The first-stage equations can be found in Table S.13.

**Table S.13. First-Stage Regressions for Instrumented Life Satisfaction Equations in Table S.12: Regression Model of ‘Fruit and Vegetable Consumption’ on ‘Intensity of Go for 2&5 Campaign’, HILDA Survey 2013**

Independent variable	Model 1 (no covariates)		Model 2 (partial set of covariates)		Model 3 (full set of covariates)	
	$\beta$	$p$	$\beta$	$p$	$\beta$	$p$
Intensity of campaign	0.01 [-0.003, 0.02]	.176	0.01 [0.003, 0.02]	.012	0.02 [0.01, 0.03]	.005
Log of household income			-0.01 [-0.05, 0.03]	.562	-0.03 [-0.07, 0.01]	.084
Other covariates included	No		Partial		Full	
Constant	3.68 [3.64, 3.73]	.000	3.40 [2.98, 3.83]	.000	2.51 [2.09, 2.94]	.000
First-stage $F$ -statistic	1.83		6.31		8.05	
Number of observations	13,788		13,788		13,788	

Note: Values in parentheses are 95% confidence intervals. Dependent variable is *Fruit and Vegetable Consumption* (portions per day). First-stage  $F$ -statistic relates to a test of weak instruments, with a commonly suggested cutoff point of 10 for a strong instrument.

**Table S.14. Additional Happiness Equations: Instrumental-Variables Regression Models of ‘Been a Happy Person’ using ‘Intensity of Go for 2&5 Campaign’ as an Instrument for ‘Fruit and Vegetable Consumption’, HILDA Survey 2013**

Independent variable	Model 1 (no covariates)		Model 2 (partial set of covariates)		Model 3 (full set of covariates)	
	$\beta$	$p$	$\beta$	$p$	$\beta$	$p$
Fruit and vegetable portions/day	-0.38 [-1.39, 0.62]	.453	-0.00 [-0.43, 0.43]	.999	0.02 [-0.37, 0.42]	.907
Log of household income			0.01 [-0.01, 0.03]	.317	0.01 [-0.01, 0.03]	.439
Other covariates included	No		Partial		Full	
Constant	5.83 [2.12, 9.55]	.002	5.02 [3.52, 6.52]	.000	4.73 [3.70, 5.77]	.000
Number of observations	13,748		13,748		13,748	

Note: Values in parentheses are 95% confidence intervals. Dependent variable is *Been a happy person* [range: 1-6]. The first-stage equations can be found in Table S.15.

**Table S.15. First-Stage Regressions for Instrumented Happiness Equations in Table S.14: Regression Model of ‘Fruit and Vegetable Consumption’ on ‘Intensity of Go for 2&5 Campaign’, HILDA Survey 2013**

Independent variable	Model 1 (no covariates)		Model 2 (partial set of covariates)		Model 3 (full set of covariates)	
	$\beta$	$p$	$\beta$	$p$	$\beta$	$p$
Intensity of campaign	0.01 [-0.003, 0.02]	.169	0.01 [0.003, 0.02]	.011	0.02 [0.01, 0.03]	.004
Log of household income			-0.01 [-0.05, 0.03]	.541	-0.03 [-0.07, 0.01]	.078
Other covariates included	No		Partial		Full	
Constant	3.68 [3.64, 3.73]	.000	3.40 [2.98, 3.82]	.000	2.51 [2.08, 2.93]	.000
First-stage $F$ -statistic	1.89		6.50		8.27	
Number of observations	13,748		13,748		13,748	

Note: Values in parentheses are 95% confidence intervals. Dependent variable is *Fruit and Vegetable Consumption* (portions per day). First-stage  $F$ -statistic relates to a test of weak instruments, with a commonly suggested cutoff point of 10 for a strong instrument.